```
dents perms if it is given, most perms perms the interest perms the in
```

###

TIJ.

(i)

```
SEQUENCE LISTING
<110> Watkins, Maren
      Olivera, Baldomero M.
Hillyard, David R.
      McIntosh, J. Michael
       Jones, Robert M
<120> Alpha-Conotoxin Aeptides
<130> Alphas 2
<140>
<141>
<150> US 60/118,381
<151> 1999-01-29
<160> 404
<170> PatentIn Ver. 2.0
<210> 1
<211> 17
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Alpha-Conotoxin
       Peptide Generic Formula I
<220>
<221> PEPTIDE
<222> (1)..(3)
<223> Xaa at residue 1 is des-Xaa, Ile, heu or Val; Xaa
      at residue 2 is des-Xaa, Ala or Gly Xaa at residue 3 is des-Xaa, Gly, Trp (D or L), neo-Trp,
      halo-Trp or any unnatural aromatic amino acid.
<220>
<221> PEPTIDE
<222> (4)..(5)
<223> Xaa at residue 4 is des-Xaa, Gly, Trp (D or L), neo-Trp, halo-Trp or any unnatural aromatic amino
       acid; Xaa at residue 5 is Glu, gamma-carboxy-Glu
       (Gla), Asp, Ala, Thr, Ser, Gly, Ile, Tyr, nor-Tyr,
<220>
<221> PEPTIDE
<222> (5)..(8)
<223> mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy
       containing amino acid; Xaa at residue 8 is Ser,
       Thr, Arg, ornithine, homoarginine, Lys,
       N-methyl-Lys,
<220>
<221> PEPTIDE
<222> (8)..(9)
<223> N.N-dimethyl-Lys, N.N.N-trimethyl-Lys or any
       unnatural basic amino acid; Xaa at residue 9 is
       Asp, Glu, Gla, Arg, ornithine, homoarginine, Ly
       N-methyl-Lys, N, N-dimethyl-Lys,
       N, N, N-trimethyl-Lys or
```

```
<220>
<221> PEPTIDE
<222> (9)..(11)
<223> any unnatural basic amino acid; Xaa at residue 10
      is Ser, Thr, Asn, Ala, Gly, His, halo-His, Pro or hydroxy-Pro; Xaa at residue 11 is Thr, Ser, Ala,
       Asp, Asn, Pto, hydroxy-Pro,
<220>
<221> PEPTIDE
<222> (11)..(13)
<223> Arg, ornithine homoarginine, Lys, N-methyl-Lys,
     N,N-dimethyl-Lys, N,N,N-trimethyl-Lys or any
       unnatural basic amino acid; Xaa at residue 13 is
       Gly, Ser, Thr, Ala, Asn,
<220>
<221> PEPTIDE
<222> (13)..(14)
<223> Arg, ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys or any
       unnatural basic amiho acid; Xaa at residue 14 is
       Gln, Leu, His, halo His, Trp (D or L), halo-Trp,
       neo-Trp,
<220>
<221> PEPTIDE
<222> (14)
<223> Tyr, nor-Tyr, mono-hald-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr, Arg,
       ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, any
      unnatural basic amino
<220>
<221> PEPTIDE
<222> (14)..(15)
<223> acid or any unnatural aromatic amino acid; Xaa at
       residue 15 is Asn, His, halo-His, Ile, Leu, Val,
       Gln, Arg, ornithine, homoarginine, Lys,
       N-methyl-Lys, N, N-dimethyl-Lys,
      N, N, N-trimethyl-Lys or any
<220>
<221> PEPTIDE
<222> (15)..(16)
<223> unnatural basic amino acid; X_{a} at residue 16 is
       des-Xaa, Val, Ile, Leu, Arg, ornithine,
       homoarginine, Lys, N-methyl-Lys, N,N-dimethyl-Lys,
       N, N, N-trimethyl-Lys or any unnatural basic amino ·
       acid.
Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Cys
  1
Xaa
<210> 2
<211> 21
<212> PRT
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Alpha-Conotoxin
       Peptide Generic Formula II.
<220>
<221> PEPTIDE
<222> (1)..(3)
<223> Xaa at residue 1 is des-Xaa, Asp, Glu or
       gamma-carboxy-Glu (Gla); Xaa at residue 2 is
       des-Xaa, Gln, Ala, Asp, Glu, Gla; Xaa at residue 3
       is des-Xaa, Gly, Ala, Asp, Glu, Gla, Pro or
       hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (4)..(7)
<223> Xaa at residue 4 is deṣ-Xaa4, Gly, Glu, Gla, Gln,
       Asp, Asn, Pro or hydroxy-Pro; Xaa at residue 7 is
       Ser, Thr, Gly, Glu, Gla, Asn, Trp (D or L),
       neo-Trp, halo-Trp, Arg, ornithine, homoarginine,
<220>
<221> PEPTIDE
<222> (7)
<223> Lys, N-methyl-Lys, N,N-dimethyl-Lys,
       N,N,N-trimethyl-Lys, any unnatural basic amino acid, Tyr, nor-Tyr, mono halo-Tyr, di-halo-Tyr,
       O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any
       unnatural hydroxy
<220>
<221> PEPTIDE
<222> (7)..(8)
<223> containing amino acid; Xaa at residue 8 is Asp,
      Asn, His, halo-His, Thr, Ser, Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy
<220>
<221> PEPTIDE
<222> (8)..(10)
<223> containing amino acid; Xaa at residue 9 is Pro or
      hydroxy-Pro; Xaa at residue 10 is Ala, Ser, Thr, Asp, Val, Ile, Pro, hydroxy-Pro, Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr, 0\frac{1}{3}sulpho-Tyr,
<220>
<221> PEPTIDE
<222> (10)..(12)
<223> O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy
       containing amino acid; Xaa at residue 12 is Gly,
       Ile, Leu, Val, Ala, Thr, Ser, Pro, hydroxy-Pro,
       Phe, Trp (D or L), neo-Trp, halo\frac{1}{3}Trp, Arg,
       ornithine,
<220>
<221> PEPTIDE
<222> (12)..(13)
<223> homoarginine, Lys, N-methyl-Lys, NkN-dimethyl-Lys,
       N,N,N-trimethyl-Lys, any unnatural |basic amino
       acid or any unnatural aromatic amino acid; Xaa at
       residue 13 is Ala, Asn, Phe, Pro, hydroxy-Pro,
```

<220>

```
<221> PEPTIDE
<222> (13)
<223> Glu, Gla, Gln, His, halo-His, Val, Ser, Thr, Arg, ornithine, homoarginine, Lys, N-methyl-Lys,
       N, N-dimet \(\frac{1}{2}\)yl-Lys, N, N, N-trimethyl-Lys or any
       unnatural basic amino acid.
<220>
<221> PEPTIDE
<222> (14)
<223> Xaa at residue 14 is Thr, Ser, His, halo-His, Leu, Ile, Val, Asn, Met, Pro, hydroxy-Pro, Arg,
       ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, any
      unnatural basic
<220>
<221> PEPTIDE
<222> (14)..(15)
<223> amino acid, Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr,
      nitro-Tyr or any unnatural hydroxy containing
      amino acid; Xaa at residue 15 is Asn, Pro,
      hydroxy-Pro, Gln, Ser \ Thr,
<220>
<221> PEPTIDE
<222> (15)
<223> Arg, ornithine, homoargi\lambdaine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys N, N, N-tr\methyl-Lys, any
      unnatural basic amino acid, Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr \ O-sulpho-Tyr,
      O-phospho-Tyr, nitro-Tyr
<220>
<221> PEPTIDE
<222> (15)..(16)
<223> or any unnatural hydroxy contatining amino acid;
      Xaa at residue 16 is des-Xaa, Aly, Thr, Ser, Pro,
      hydroxy-Pro, Tyr, nor-Tyr, monothalo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phdspho-Tyr,
      nitro-Tyr or any
<220>
<221> PEPTIDE
<222> (16)..(17)
<223> unnatural hydroxy containing amino acid; Xaa at
      residue 17 is des-Xaal4, Ile, Val, Asp, Leu, Phe,
      Arg, ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, any
      unnatural
<220>
<221> PEPTIDE
<222> (17)..(19)
<223> basic amino acid, Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr
      nitro-Tyr or any unnatural hydroxy containing
       amino acid; Xaa at residue 19 is des-Xaa, Gly,
      Ala, Met, Ser,
<220>
<221> PEPTIDE
<222> (19)
```

```
<223> Thr, Trp (D or L), neo-Trp, halo-Trp, any
      unnatural aromatic amino acid, Arg, ornithine,
      homoarginine, Lys, N-hethyl-Lys, N,N-dimethyl-Lys,
      N, N, N-trimethyl-Lys or any unnatural basic amino
<220>
<221> PEPTIDE
<222> (20)
<223> Xaa at residue 20 is des-Xaa, Trp (D or L),
      neo-Trp, halo-Trp, any unnatural aromatic amino
      acid, Arg, ornithine, homoarginine, Lys,
      N-methyl-Lys, N, N-dimethyl-Lys,
      N, N, N-trimethyl-Lys or any
<220>
<221> PEPTIDE
<222> (20)..(21)
<223> unnatural basic amino acid; Xaa at residue 21 is
      des-Xaa, Arg, ornithine, homoarginine, Lys,
      N-methyl-Lys, N, N-dimethyl-Lys,
      N,N,N-trimethyl-Lys or any unnatural basic amino
      acid.
<400> 2
Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa
Xaa Cys Xaa Xaa Xaa
            _20
<210> 3
<211> 28
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence: Alpha-Conotoxin
      Peptide Generic Formula III.
<220>
<221> PEPTIDE
<222> (1)..(3)
<223> Xaa at residue 1 is des-Xaa, Ser pr Thr; Xaa at residue 2 is des-Xaa, Asp, Glu, carboxy-Glu
      (Gla), Asn, Ser or Thr; Xaa at residue 3 is
      des-Xaa, Ala, Gly, Asn, Ser, Thr, Pro,
      hydroxy-Pro, Arg,
<220>
<221> PEPTIDE
<222> (3)..(4)
<223> ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys or any
      unnatural basic amino acid; Xaa at residue 4 is
      des-Xaa, Ala, Val, Leu, Ile, Gly, Glu, Gla, Gln,
      Asp, Asn, Phe,
<220>
<221> PEPTIDE
<222> (4)..(5)
<223> Pro, hydroxy-Pro or any unnatural ardmatic amino
      acid; Xaa at residue 5 is des-Xaa, Thr, Ser, Asp,
```

Glu, Gla, Gln, Gly, Val, Asp, Asn, Ala, Pro, hydroxy-Pro, Arg, ornithine, homoarginine, Lys, <220> <221> PEPTIDE <222> (5)..(8) <223> N-methyl-Lys, N, N-dimethyl-Lys, N, N, N-trimethyl-Lys or any unnatural basic amino acid; Xaa at residue 8 is Thr, Ser, Asp, Asn, Met, Val, Ala, Gly, Leu, Ile, Phe, any unnatural aromatic amino acid, <220> <221> PEPTIDE <222> (8)..(9) <223> Pro, hydroxy-Pro, Tyr, nor†Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy containing amino acid; Xaa at residue 9 is Ile, Leu, Val, Ser, Thr, Gln, <220> <221> PEPTIDE <222> (9) <223> Asn, Asp, Arg, His, halo-His, Phe, any unnatural aromatic amino acid, homoarginine, ornithine, Lys, N-methyl-Lys, N,N-dimethyl-Lys, N,N-trimethyl-Lys, any unnatural basic amino acid, Tyr, nor-Tyr, <220> <221> PEPTIDE <222> (9)..(10) <223> mono-halo-Tyr, di-halo-Tyr, Otsulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy containing amino acid; Xaa at residue 10 is Pro, hyroxy-Pro, Ser, Thr, Ile, Asp, Leu, Val, Gly, Ala, Phe, <220> <221> PEPTIDE <222> (10)..(11) <223> any unnatural aromatic amino acid, Arg, ornithine, homoarginine, Lys, N-methyl-Lys, N,N-dimethyl-Lys, N,N,N-trimethyl-Lys or any unnatural basic amino acid; Xaa at residue 11 is Val, Ala, Gly, Ile, <220> <221> PEPTIDE <222> (11)..(13) <223> Leu, Asp, Ser, Thr, Pro, hydroxy-Aro, Arg, ornithine, homoarginine, Lys, N-methyl-Lys, N, N-dimethyl-Lys, N, N, N-trimethyl-Ays or any unnatural basic amino acid; Xaa at residue 13 is His, halo-His, <220> <221> PEPTIDE <222> (13) <223> Arg, homoarginine, ornithine, Lys, N-methyl-Lys, N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, any unnatural basic amino acid, Asn, Ala, Ser, Thr,

Phe, Ile, Leu, Gly, Trp (D or L), neo-trp,

halo-Trp, any

```
<220>
<221> PEPTIDE
<222> (13)..(14)
<223> unnatural aromatic amino acid, Tyr, nor-Tyr,
    mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
    O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy
    containing amino acid; Xaa at residue 14 is Leu,
       Gln, Val, Ile,
<220>
<221> PEPTIDE
<222> (14)
<223> Gly, Met, Ala, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N_1 trimethyl-Lys, Ser, Thr,
      Arg, homoarginine, ornithine, any unnatural basic
      amino acid, Asn, Glu, Gla, Gln, Phe, Trp (D or L),
      neo-Trp,
<220>
<221> PEPTIDE
<222> (14)..(15)
<223> halo-Trp or any unnatural aromatic amino acid; Xaa
       at residue 15 is Glu, Gla, Gln, Asn, Asp, Pro,
      hydroxy-Pro, Ser, Gly, Thr,\ Lys, N-methyl-Lys,
       N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, Arg,
<220>
<221> PEPTIDE
<222> (15)
<223> homoarginine, ornithine, any unnatural basic amino acid, Phe, His, halo-His, any unnatural aromatic
       amino acid, Leu, Met, Gly, Ala, Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
<220>
<221> PEPTIDE
<222> (15)..(16)
<223> O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy
       containing amino acid; Xaa at residue 16 is His,
       halo-His, Asn, Thr, Ser, Ile, Val, Leu, Phe, any
       unnatural aromatic amino acid, Arg, homoarginine,
<220>
<221> PEPTIDE
<222> (16)
<223> ornithine, Lys, N-methyl-Lys, N,N-dimethyl-Lys,
       N, N, N-trimethyl-Lys, any unnatural basic amino
       acid, Tyr, nor-Try, mono-halo-Tyr, di-halo-Tyr,
       O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any
       unnatural
<220>
<221> PEPTIDE
<222> (16)..(17)
<223> hydroxy containing amino acid; Xaa at residue 17
       is Ser, Thr, Ala, Gln, Pro, hydroxy-Pro, Gly, Ile,
       Leu, Arg, ornithine, homoarginine, Lys,
       N-methyl-Lys, N, N-dimethyl-Lys,
       N, N, N-trimethyl-Lys or any
<220>
<221> PEPTIDE
<222> (17)..(18)
<223> unnatural basic amino acid; Xaa at residue 18 is
```

Asn, Glu, Gla, Asp, Gly, His, halo-His, Ala, Leu, Gln, Arg, ornithine homoarginine, Lys, N-methyl-Lys, N, N-dimethyl-Lys, N, N, N-trimethyl-Lys, any <220> <221> PEPTIDE <222> (18)..(19) <223> unnatural basic amino acid, Tyr, nor-Tyr, mono-halo-Tyr, di-halo Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr or any unnatural hydroxy containing amino acid; Xaa at residue 19 is Met, Ile, Thr, Ser, <220> <221> PEPTIDE <222> (19) <223> Val, Leu, Pro, hydroxy-Pro, Phe, any unnatural aromatic amino acid, Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr, nitro-Tyr, any unnatural hydroxy containing amino acid, <220> <221> PEPTIDE <222> (19)..(21) <223> Glu, Gla, Ala, His, halo-Hi&, Arg, ornithine, homoarginine, Lys, N-methyl-Lys, N,N-dimethyl-Lys, N, N, N-trimethyl-Lys or any unnatural basic amino acid; Xaa at residue 21 is des-Xaa, Gly, Asp, Asn, <220> <221> PEPTIDE <222> (21)..(22) <223> Ala, Ile, Leu, Ser, Thr, His, halo-His, Arg, ornithine, homoarginine, Lys, N\methyl-Lys, N,N-dimethyl-Lys, N,N,N-trimethyl-Lys or any unnatural basic amino acid; Xaa at residue 22 is des-Xaa, Gly, <220> <221> PEPTIDE <222> (22) <223> Glu, Gla, Gln, Trp (D or L), neo, halo-Trp, any
unnatural aromatic amino acid, Arg, ornithine,
homoarginine, Lys, N-methyl-Lys, N,N-dimethyl-Lys, N, N, N-trimethyl-Lys or any unnatural basic amino acid. <220> <221> PEPTIDE <222> (23) <223> Xaa at residue 23 is des-Xaa, Ser, Tht, Val, Ile, Ala, Arg, ornithine, homoarginine, Lys N-methyl-Lys, N, N-dimethyl-Lys, N, N, N-trimethyl-Lys or any unnatural basic amino acid. <220> <221> PEPTIDE <222> (24) <223> Xaa at residue 24 is des-Xaa, Val, Asp, His, halo-His, Arg, ornithine, homoarginine, Lys,

N-methyl-Lys, N, N-dimethyl-Lys,

```
N, N, N-trimethyl-Lys or any unnatural basic amino
      acid.
<220>
<221> PEPTIDE
<222> (25)..(26)
<223> Xaa at residue 25 is des-Xaa, Asn, Pro or
      hydroxy-Pro; Xaa at residue 26 is des-Xaa, Arg,
      ornithine, homoarginine, Lys, N-methyl-Lys,
      N, N-dimethyl-Lys, N, N, N-trimethyl-Lys or any
      unnatural basic amino
<220>
<221> PEPTIDE
<222> (26)..(28)
<223> acid; Xaa at residue 27 is des-Xaa, Ser or Thr;
      Xaa at residue 28 is des-Xaa, Leu, Ile or Val.
<400> 3
Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa
Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa
<210> 4
<211> 14
<212> PRT
<213> Conus imperialis
<220>
<221> PEPTIDE
<222> (2)..(11)
<223> Xaa at residue 2 is Glu or gamma-carboxy-Glu; Xaa
      at residue 11 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 4
Asp Xaa Cys Cys Ser Asp Ser Arg Cys Gly Xaa Asn Cys Leu
<210> 5
<211> 12
<212> PRT
<213> Conus imperialis
<220>
<221> PEPTIDE
<222> (10)
<223> Xaa at residue 10 is Trp (D or L) or halo\frac{1}{3}Trp.
<400> 5
Ala Cys Cys Ser Asp Arg Arg Cys Arg Xaa Arg Cys
<210> 6
<211> 13
<212> PRT
<213> Conus regius
<400> 6
```

```
10
Phe Thr Cys Cys Arg Arg Gly Thr Cys Ser Gln His Cys
  1
<210> 7
<211> 13
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (2)
<223> Xaa at residue \c 2 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 7
Asp Xaa Cys Cys Arg Arg His Ala Cys Thr Leu Ile Cys
<210> 8
<211> 13
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (2)..(8)
<223> Xaa at residue 2 is Tyr, nor Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr; Xaa at residues 7 and 8 is Pro or
      hydroxy-Pro.
<400> 8
Asp Xaa Cys Cys Arg Arg Xaa Xaa Cys Thr\Leu Ile Cys
<210> 9
<211> 13
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(10)
<223> Xaa at residue 6 is Pro or hdroxy-Pro; Xaa\at
      residue 10 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 9
Gly Cys Cys Ser Asp Xaa Arg Cys Arg Xaa Arg Cys Arg
<210> 10
<211> 13
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
```

```
<222> (7) .. (11)
<223> Xaa at redidue 7 is Pro or hydroxy-Pro; Xaa at
       residue 11\is Trp (D or L) or halo-Trp.
<400> 10
Gly Gly Cys Cys Sem{t} Asp Xaa Arg Cys Ala Xaa Arg Cys
<210> 11
<211> 17
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (3)..(10)
<223> Xaa at residue 3 is Trp (D or L) or halo-Trp; Xaa
    at residue 9 is Glu or gamma-carboxy-Glu; Xaa at
    residue 10 is Pro or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (15)
<223> Xaa at residue 15 is Ays, N-methyl-Lys,
       N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 11
Ile Ala Xaa Asp Ile Cys Cys Self Xaa Xaa Asp Cys Asn His Xaa Cys
  1
                                            10
Val
<210> 12
<211> 12
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(9)
<223> Xaa at residue 6 is Pro or hydroxy-Pro; Xaa at residue 9 is Lys, N-methyl-Lys, N,W-dimethyl-Lys
       or N, N, N-trimethyl-Lys.
<400> 12
Gly Cys Cys Ser Asp Xaa Arg Cys Xaa His Gl
<210> 13
<211> 14
<212> PRT
<213> Conus sponsalis
<220>
<221> PEPTIDE
<222> (5)..(11)
<223> Xaa at residues 5 and 11 is Pro or hydroxy-Pro;
       Xaa at residue 8 is Lys, N-methyl-Lys,
       N.N-dimethyl-Lys or N.N.n-trimethyl-Lys.
```

```
12
<400> 13
Cys Cys Ser Asp Xaa Ala Cys Xaa Gln Thr Xaa Gly Cys Arg
<210> 14
<211> 13
<212> PRT
<213> Conus sponsalis
<220>
<221> PEPTIDE
<222> (3)..(5)
<223> Xaa at residue 3 is \Glu or gamma-carboxy-Glu; Xaa
      at residue 5 is Pro or hydroxy-Pro.
<400> 14
Cys Cys Xaa Asn Xaa Ala Cys Arg His Thr Gln Gly Cys
<210> 15
<211> 13
<212> PRT
<213> Conus sulcatus
<220>
<221> PEPTIDE
<222> (4)..(12)
<223> Xaa at residue 4 is Trp or halo-Trp; Xaa at
      residue 6 is Pro or hydroxy-Pro; Xaa at residue 12
      is Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr,
      O-sulpho-Tyr, O-phospho-Tyr or hitro-Tyr.
<400> 15
Gly Cys Cys Xaa His Xaa Ala Cys Gly Arg∜His Xaa Cys
<210> 16
<211> 14
<212> PRT
<213> Conus achatinus
<220>
<221> PEPTIDE
<222> (2)..(11)
<223> Xaa at residues 2 and 7 is Pro or hydroxy-Pro; Xaa
      at residue 11 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 16
Ala Xaa Cys Cys Asn Asn Xaa Ala Cys Val Xaa His Arg Cys
<210> 17
<211> 15
<212> PRT
<213> Conus bullatus
<220>
<221> PEPTIDE
<222> (2)..(12)
```

```
<223> Xaa at residues 2 and \sqrt{8} is Pro or hydroxy-Pro; Xaa
      at residue 12 is Lys, W-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 17
Ala Xaa Gly Cys Cys Asn Asn Xaa Ala Cys Val Xaa His Arg Cys
                                      10
<210> 18
<211> 14
<212> PRT
<213> Conus bullatus
<220>
<221> PEPTIDE
<222> (1)..(11)
<223> Xaa at residues 1, 2 and 7 is Pro or hydroxy-Pro;
      Xaa at residue 11 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 18
Xaa Xaa Cys Cys Asn Asn Xaa Ala Cys Val Xaa His Arg Cys
<210> 19
<211> 16
<212> PRT
<213> Conus bullatus
<220>
<221> PEPTIDE
<222> (2)..(13)
<223> Xaa at residue 2 is Glu or gamma-carboky-Glu; Xaa
      at residue 6 is Trp or halo-Trp; Xaa at residues 8
      11 and 13 is Pro or hydroxy-Pro.
<400> 19
Asp Xaa Asn Cys Cys Xaa Asn Xaa Ser Cys Xaa Arg Xaa Arg Cys Thr
                                      10
<210> 20
<211> 13
<212> PRT
<213> Conus bullatus
<220>
<221> PEPTIDE
<222> (6)..(12)
<223> Xaa at residues 6 and 7 is Pro or hydroxy-Pro; \Xaa
      at residue 12 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 20
Gly Cys Cys Ser Arg Xaa Xaa Cys Ala Val Leu Xaa Cys
<210> 21
<211> 13
<212> PRT
```

```
14
<213> Conus circumcisus
<220>
<221> PEPTIDE
<222> (6)
<223> Xaa at residue 6 is Pro or hydroxy-Pro.
Gly Cys Cys Gly Asn Xa Asp Cys Thr Ser His Ser Cys
<210> 22
<211> 16
<212> PRT
<213> Conus stercusmuscarum
<220>
<221> PEPTIDE
<222> (6)..(11)
<223> Xaa at residue 6 is Pro or hydroxy-Pro; Xaa at
      residue 11 is Glu or gamma-carboxy-Glu.
<400> 22
Gly Cys Cys Ser Asn Xaa Val Cys Has Leu Xaa His Ser Asn Met Cys
                                      10
<210> 23
<211> 17
<212> PRT
<213> Conus obscurus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residue 6 is Pro or hydroxy-Pro Xaa at
      residue 14 is Glu or gamma-carboxy-Glu∤ Xaa at
      residue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr\or
      nitro-Tyr.
<400> 23
Gly Cys Cys Ser Asn Xaa Val Cys Arg Gln Asn Asn Ala Xaa Xaa Cys
                                      10
Arg
<210> 24
<211> 18
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 24
Xaa Gln Cys Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Xaa I\e
```

```
15
    Arg
<210> 25
<211> 18
<212> PRT
<213> Conus Padiatus
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
Xaa at residues 2 and 15 is Glu or
      gamma-carboxy-ĠĮu.
<400> 25
Xaa Xaa Cys Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Xaa Ile
Cys Arg
<210> 26
<211> 18
<212> PRT
<213> Conus radiatus
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma—carboxy-Glu.
<400> 26
Xaa Gln Cys Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Xaa Ile
Cys Asp
<210> 27
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 27
Xaa Arg Cys Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Xaa Ile
Cys Arg
<210> 28
<211> 18
```

```
16
<212> PRT
<213 Conus omaria
<220>
<221> PEPTIDE
<222> (1) ... (14)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro.
<400> 28
Xaa Gln Cys\Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Gly Ile
Cys Arg
<210> 29
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues i, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15\is Glu or gamma-carboxy-Glu.
<400> 29
Xaa Gln Cys Cys Ser His Xaa Ala Cys Asn Val Asp His Xaa Xaa Thr
                   5
                                        10
Cys Arg
<210> 30
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Rro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 30
Xaa Gln Cys Cys Ser His Xaa Ala Cys Asn 🕻 al Asp His Xaa Xaa Val
Cys Arg
<210> 31
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro
Xaa at residue 15 is Glu or gamma-carboxy-Glu.
```

```
17
<400> 31
Xaa Gln Cys ⟨ys Ser His Xaa Ala Cys Asn Ile Asp His Xaa Xaa Ile
Cys Arg
<210> 32
<211> 21
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues\1, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 32
Xaa Gln Cys Cys Ser His\Xaa Ala Cys Asn Val Asp His Xaa Xaa Ile
                                       10
Cys Arg Arg Arg Arg
<210> 33
<211> 17
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (7)..(15)
<223> Xaa at residues 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 33
Gly Gly Cys Cys Ser His Xaa Ala Cys Al<sup>®</sup>a Val Asn His Xaa Xaa Leu
Cys
<210> 34
<211> 16
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 14 is Glu or gamma-carboxy-Glu.
<400> 34
Gly Cys Cys Ser His Xaa Ala Cys Ser Val Asn His Xaa Xaa Leu Cys
                                       10
<210> 35
<211> 16
```

```
18
<212>
<213> Conus dalli
<220>
<221> PEPTIDE
<222> (6) \. (14)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 14 is Glu or gamma-carboxy-Glu.
<400> 35
Gly Cys Cys Sèr His Xaa Ala Cys Asn Val Asp His Xaa Xaa Ile Cys
<210> 36
<211> 19
<212> PRT
<213> Conus obscurús
<220>
<221> PEPTIDE
<222> (6)..(18)
<223> Xaa at residues & and 15 is Pro or hydroxy-Pro;
      Xaa at reside 11 is Lys, N,-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys; Xaa at residues 14 and 18 is Glu or gamma-carboxy-Glu.
<400> 36
Gly Cys Cys Ser His Xaa Ala Cys Ser Gly Xaa Thr Gln Xaa Xaa Cys
                                                              15
Arg Xaa Ser
<210> 37
<211> 18
<212> PRT
<213> Conus tulipa
<220>
<221> PEPTIDE
<222> (1)..(14)
<223> Xaa at residues 1, 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 14 is Glu or gamma-carboxy-Glu.
<400> 37
Xaa Cys Cys Ser His Xaa Ala Cys Ser Gly Asn Asn Xaa Xaa Phe Cys
Arg Gln
<210> 38
<211> 18
<212> PRT
<213> Conus tulipa
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 14 is Glu or gamma-carboxy-Glu.
```

```
production of the state of the
```

```
19
Gly Cys 🗘ys Ser His Xaa Ala Cys Ser Gly Asn Asn Xaa Xaa Phe Cys
Arg Gln
<210> 39
<211> 16
<212> PRT
<213> Conus pehnaceus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro;
Xaa at residue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
        di-halo-Tyr \ O-sulpho-Tyr, O-phospho-Tyr or
       nitro-Tyr.
<400> 39
Gly Cys Cys Ser His√Xaa Xaa Cys Ala Met Asn Asn Xaa Asp Xaa Cys
<210> 40
<211> 16
<212> PRT
<213> Conus pennaceus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residuew 6, 7 and 13 is Pro or hydroxy-Pro;
Xaa at residue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
di-halo-Tyr, O-sulpho Tyr, O-phospho-Tyr or
       nitro-Tyr.
<400> 40
Gly Cys Cys Ser His Xaa Xaa Cys Phe Leu Asn Asn Xaa Asp Xaa Cys
                                            . 10
<210> 41
<211> 17
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro;
    Xaa at residue 11 is Lys, N-methyl-Lys,
       N, N-dimethyl-Lys or N.N.N-trimethyl-Lys.
<400> 41
Gly Cys Cys Ser Asn Xaa Xaa Cys Ile Ala Xaa\Asn Xaa His Met Cys
Gly
```

```
20
<210>
<211> 16
<212> PR'X
<213> Conus distans
<220>
<221> PEPTIDE
<222> (6) .. (13)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro.
<400> 42
Gly Cys Cys Ser Àsn Xaa Xaa Cys Ala His Asn Asn Xaa Asp Cys Arg
<210> 43
<211> 17
<212> PRT
<213> Conus tulipa
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 43
Gly Cys Cys Ser Asn Xaa Ala Cys Ala Gly Asn Asn Xaa His Val Cys
                                      10
Arg
<210> 44
<211> 16
<212> PRT
<213> Conus dalli
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 44
Gly Cys Cys Ser Arg Xaa Ala Cys Ile Ala Asn Ash Xaa Asp Leu Cys
                                      10
                                                           15
<210> 45
<211> 20
<212> PRT
<213> Conus circumcisus
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residues 11 and 14 is Glu or
      gamma-carboxy-Glu.
<400> 45
Gly Cys Cys Ser Asn Xaa Val Cys His Val Xaa His Xaa Xaa Leu
                                                              Cys
```

```
Ard Arg Arg Arg
<210> 4
<211> 18
<212> PRT
<213> Conus sulcatus
<220>
<221> PEPTINE
<222> (7)..(15)
<223> Xaa at \ residues 7, 12 and 14 is Pro or
      hydroxy Pro; Xaa at residue 11 is Lys, N-methyl Lys, N,N-dimethyl-Lys or
      N, N, N-trihethyl-Lys; Xaa at residue 15 is. Glu or
       gamma-carb\pxy-Glu.
<400> 46
Gly Gly Cys Cys Set Phe Xaa Ala Cys Arg Xaa Xaa Arg Xaa Xaa Met
Cys Gly
<210> 47
<211> 18
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
Xaa at residues 2 and 15 is Glu or
       gamma-carboxy-Glu.
<400> 47
Xaa Xaa Cys Cys Ser Asp Xaa Arg Cys Asn Ser Ser His Xaa Xaa Leu
                                         10
Cys Arg
<210> 48
<211> 18
<212> PRT
<213> Conus dalli
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hyd\chioxy-pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 48
Xaa Gln Cys Cys Ser Asp Xaa Arg Cys Asn Val Gly Hits Xaa Xaa Leu
Cys Gly
```

```
<210>49
<211> 18
<212> PRT
<213> Conus dalli
<220>
<221> PEPTIDE
<222> (1)\(\). (15)
<223> Xaa \at residue 1 is Gln or pyro-Glu; Xaa at
      residues 7 and 14 is Pro or hydroxy-Pro; Xaa at
      residue 15 is Glu or gamma-carboxy-Glu.
<400> 49
Xaa Val Cys Cys Ser Asp Xaa Arg Cys Asn Val Gly His Xaa Xaa Ile
Cys Gly
<210> 50
<211> 16
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 \lambda 7 and 13 is Pro or hydroxy-Pro.
<400> 50
Gly Cys Cys Ser Arg Xaa Xa🎝 Cys Ile Ala Asn Asn Xaa Asp Leu Cys
                                       10
<210> 51
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1 and 14 is Prd or hydroxy-Pro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu.
<400> 51
Xaa Gln Cys Cys Ser His Leu Ala Cys AsnigveeVal Asp His Xaa Xaa Ile
Cys Arg
<210> 52
<211> 19
<212> PRT
<213> Conus sulcatus
<220>
<221> PEPTIDE
<222> (5)..(14)
<223> Xaa at residue 5 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
```

nitro-Tyr Xaa at residue 13 is Pro or hydroxy-Pho; Xaa at residue 14 is Glu or gamma-carb xy-Glu. <220> <221> PEPTIDE <222> (18) <223> Xaa at residue 18 is Trp or halo-Trp. <400> 52 Gly Cys Cys Ser Xaa \Phe Asp Cys Arg Met Met Phe Xaa Xaa Met Cys 10 Gly Xaa Arg <210> 53 <211> 18 <212> PRT <213> Conus sulcatus <220> <221> PEPTIDE <222> (11)..(12) <223> Xaa at residue 11 is $\frac{1}{2}$ ys, N-methyl-Lys, N, N-dimethyl-Lys or N, N, N-trimethyl-Lys; Xaa at residue 12 is Tyr, nor Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr. <220> <221> PEPTIDE <222> (14)..(15) <223> Xaa at residue 14 is Pro or\hydroxy-Pro; Xaa at residue 15 is Glu or gamma-carboxy-Glu. <400> 53 Gly Gly Cys Cys Ser Phe Ala Ala Cys Arg Xaa Xaa Arg Xaa Xaa Met Cys Gly <210> 54 <211> 20 <212> PRT <213> Conus sulcatus <220> <221> PEPTIDE <222> (7)..(15) <223> Xaa at residue 7 is Pro or hydroxy-Pro; Xaa at residue 10 is Tyr, nor-Tyr, mono-halo-Tyr) di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr; Xaa at residue 15 is Glu or gamma-carboxy-Glu. <400> 54 Gly Gly Cys Cys Phe His Xaa Val Cys Xaa Ile Asn Leu\Leu Xaa Met Cys Arg Gln Arg

```
20
<210>
<211>\19
<212> RRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (7) \. (15)
<223> Xaa at residues 7, 11 and 14 is Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr; Xaa at residues 8, 9 and 15 is Pro
      or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (12)..(1\6)
<223> Xaa at residues 12 and 16 is Glu or gamma-carboxy-Glu.
<400> 55
Ser Ala Thr Cys \Deltays Asn Xaa Xaa Xaa Cys Xaa Xaa Thr Xaa Xaa Xaa
Ser Cys Leu
<210> 56
<211> 17
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (5)..(13)
<223> Xaa at residues 5 and 12 is Tyr, no-Tyr,
      mono-halo-Tyr, di-halo Tyr, O-sulpho-Tyr,
      O-phospho-Tyr or nitro-Tyr; Xaa at residues 6, 7
      and 13 is Pro or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (10)..(14)
<223> Xaa at residues 10 and 14 is Glu or
      gamma-carboxy-Glu.
<400> 56
Ala Cys Cys Ala Xaa Xaa Xaa Cys Phe 🛚 Xaa Ala Xaa Xaa Arg Cys
Leu
<210> 57
<211> 19
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
```

```
<222> (3)\.(16)
<223> Xaa at residues 3, 12 and 16 is Glu or
      gamma\carboxy-Glu; Xaa at residues 6, 7, 11 and 14
      is Tyr nor-Tyr, mono-halo-Tyr, di-halo-Tyr,
      O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr.
<220>
<221> PEPTIDE
<222> (8)..(15)
<223> Xaa at residues 8, 9 and 15 is Pro or hydroxy-Pro.
<400> 57
Asn Ala Xaa Cys Cys 'Xaa Xaa Xaa Xaa Cys Xaa Xaa Ala Xaa Xaa
Ile Cys Leu
<210> 58
<211> 227
<212> DNA
<213> Conus magus
<220>
<221> CDS
<222> (1)..(189)
<400> 58
atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc act gtc gtt tcc
                                                                   48
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
ttc cct tca gat cgt gca tct gat ggc agg aat gcc gca gcc aac gac
                                                                   96
Phe Pro Ser Asp Arg Ala Ser Asp Gly Axg Asn Ala Ala Ala Asn Asp
aaa gcg tct gac gtg atc acg ctg gcc ctc 'aag gga tgc tgt tcc aac
                                                                   144
Lys Ala Ser Asp Val Ile Thr Leu Ala Leu Lys Gly Cys Cys Ser Asn
cct gtc tgt cac ttg gag cat tca aac ctt tgt\ ggt aga aga cgc
                                                                   189
Pro Val Cys His Leu Glu His Ser Asn Leu Cys Gly Arg Arg Arg
tgatgctcca ggaccctctg aaccacgacg ttcgagca
                                                                   227
<210> 59
<211> 63
<212> PRT
<213> Conus magus
<400> 59
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
Phe Pro Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp
Lys Ala Ser Asp Val Ile Thr Leu Ala Leu Lys Gly Cys Cys Ser Asn
Pro Val Cys His Leu Glu His Ser Asn Leu Cys Gly Arg Arg Arg
```

50 55 60 <210> 6\Q <211> 2****8 <212> DNA <213> Con\us aulicus <220> <221> CDS <222> (1)..(\168) <400> 60 atg tto acc gt \S ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser tto act toa gat c + cgt goa tot gat ggo agg aag gac goa gog tot ggo 96 Phe Thr Ser Asp Atg Ala Ser Asp Gly Arg Lys Asp Ala Ala Ser Gly ctg atc gct ctg acc atc aag gga tgc tgt tct tat cct ccc tgt ttc Leu Ile Ala Leu Thr Ile Lys Gly Cys Cys Ser Tyr Pro Pro Cys Phe 144 40 gcg act aat tca gac tat\tgt ggt tgacgacgct gatgctccag gaccctctga Ala Thr Asn Ser Asp Tyr Qys Gly 50 208 accacgacgt <210> 61 <211> 56 <212> PRT <213> Conus aulicus <400> 61 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Thr Ser Asp Arg Ala Ser Asp Gly Arg Lys Asp Ala Ala Ser Gly Leu Ile Ala Leu Thr Ile Lys Gly Cys Cys Ser\Tyr Pro Pro Cys Phe 35 Ala Thr Asn Ser Asp Tyr Cys Gly 50 <210> 62 <211> 205 <212> DNA <213> Conus aulicus <220> <221> CDS <222> (1)..(174) <400> 62 48 atg tto acc gtg ttt ctg ttg gtc gtc ttg gca acc acc gtc gtt t $\delta_{
m C}$ Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Sex

!					27	7						
ttc act tca Phe Thr Ser	gat cgt Asp Arg 20	gca to Ala Se	t gat r Asp	ggc Gly 25	agg Arg	aag Lys	gac Asp	gca Ala	gcg Ala 30	tct Ser	ggc Gly	96
ctg att gct Leu Ile Ala 35	ctg acc Leu Thr	atg aa Met Ly	g gga s Gly 40	tgc Cys	tgt Cys	tct Ser	tat Tyr	cct Pro 45	ccc Pro	tgt Cys	ttc Phe	144
gcg act aat Ala Thr Asn 50		Cys Gl				tgai	tgct	cca (ggac	cctc	g	194
aaccacgacg	t											205
<210> 63 <211> 58 <212> PRT <213> Conus	aulicus											
<400> 63 Met Phe Thr 1	Val Phe 5	Leu Le	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe Thr Ser	Asp Arg 20	Ala Se	r Asp	Gly 25	Arg	Lys	Asp	Ala	Ala 30	Ser	Gly	
Leu Ile Ala 35	Leu Thr	Met Ly	s Gly	Cys	Cys	Ser	Tyr	Pro 45	Pro	Cys	Phe	
Ala Thr Asn 50	Pro Asp		y Arg 5	Arg	Arg							
<210> 64 <211> 223 <212> DNA <213> Conus	textile			`								
<220> <221> CDS <222> (1)	(192)				·							
<400> 64 atg ttc acc Met Phe Thr 1												48
ttc tct tca Phe Ser Ser	ggt cgt Gly Arg 20	agt ac Ser Th	a ttt r Phe	cgt Arg 25	ggc Gly	agg Arg	aat Asn	gcc	gca Ala 30	gcc Ala	aaa Lys	96
gcg tct ggc Ala Ser Gly 35	ctg gtc Leu Val	agt ct Ser Le	g act u Thr 40	Asp	agg Arg	aga Arg	cca Pro	gaa Glu 45	tgc Cys	tgt Cys	agt Ser	144
gat cct cgc Asp Pro Arg 50	tgt aac Cys Asn	Ser Se	t cat r His	cca Pro	gaa Glu	ctt Leu	tgt Cys 60	ggt Gly	gg Gly	aga Arg	cgc Arg	192
tgatgctcca	ggaccctc	tg aaco	acgac	g t								223
<210> 65										'	\	

<210> 65

<211> 64 <212> PRT <213> Conus textile Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Ser Ser Gly Arg Ser Thr Phe Arg Gly Arg Asn Ala Ala Ala Lys Ala Ser Gly Leu Val\Ser Leu Thr Asp Arg Pro Glu Cys Cys Ser Asp Pro Arg Cys Asn Ser Ser His Pro Glu Leu Cys Gly Gly Arg Arg <210> 66 <211> 244 <212> DNA <213> Conus textile <220> <221> CDS <222> (1)..(168) <400> 66 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc gcc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Ala Val Val Ser 10 ttc act tca gat cgt gca tct gat gac ggg aaa gcc gct gcg tct gac Phe Thr Ser Asp Arg Ala Ser Asp Gly Lys Ala Ala Ala Ser Asp 96 ctg atc act ctg acc atc aag gga tgc tet cgt cct ccc tgt atc Leu Ile Thr Leu Thr Ile Lys Gly Cys Cys Ser Arg Pro Pro Cys Ile gcg aat aat cca gac ttg tgt ggt tgacgacdct gatgctccag aacggtctga Ala Asn Asn Pro Asp Leu Cys Gly 50 accacgacgt togagcaatg ttcaccgtgt ttctgttggt tgtctt 244 <210> 67 <211> 56 <212> PRT <213> Conus textile <400> 67 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Ala Val Val Ser Phe Thr Ser Asp Arg Ala Ser Asp Asp Gly Lys Ala Ala Ala Ser Asp Leu Ile Thr Leu Thr Ile Lys Gly Cys Cys Ser Arg Pro Pf ko Cys Ile Ala Asn Asn Pro Asp Leu Cys Gly 50


```
<210> 68
<211> 223
<212> DNÀ
<213> Con\lambdas textile
<220>
<221> CDS
<222> (1)..(183)
<400> 68
atg tto acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
                                      10
tto act toa ggt ogt agt aca ttt ogt ggo agg aat goo goa goo aaa
                                                                    96
Phe Thr Ser Gly Arg Ser Thr Phe Arg Gly Arg Asn Ala Ala Ala Lys
                                  25
gcg tot ggc otg gto agt otg act gad agg aga oca daa tgo tgt tot
Ala Ser Gly Leu Val Ser Leu Thr Asp Arg Arg Pro Gln Cys Cys Ser
                             40
                                                                    193
cat cct qcc tgt aac gta gat cat cca gaa att tgt cgt tgaagacgct
His Pro Ala Cys Asn Val Asp His Pro Glu Ile Cys Arg
                                                                    223
gatgctccag gaccctctga accacgacgt
<210> 69
<211> 61
<212> PRT
<213> Conus textile
<400> 69
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
Phe Thr Ser Gly Arg Ser Thr Phe Arg Gly Arg Asn Ala Ala Ala Lys
                                  25
Ala Ser Gly Leu Val Ser Leu Thr Asp Arg Arg Pro Gln Cys Cys Ser
His Pro Ala Cys Asn Val Asp His Pro Glu Ile Cys Arg
<210> 70
<211> 223
<212> DNA
<213> Conus radiatus
<220>
<221> CDS
<222> (1)..(183)
<400> 70
atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Vàl Ser
ttc act tca ggt cgt cgt aca ttt cat ggc agg aat gcc gca gcc aaa
```

,							30)						
Phe Thr Ser	G1 20	Arg	Arg	Thr	Phe	His 25	Gly	Arg	Asn	Ala	Ala 30	Ala	Lys	
gcg tct ggc Ala Ser Gly 35	ctg Leu	gtc Val	agt Ser	ctg Leu	act Thr 40	gac Asp	agg Arg	aga Arg	cca Pro	gaa Glu 45	tgc Cys	tgt Cys	tct Ser	144
cat cct gcc His Pro Ala 50	tgt Cys	aac Asn	gta Val	gat Asp 55	cat His	cca Pro	gaa Glu	att Ile	tgt Cys 60	cgt Arg	tgaa	agaco	gct	193
gatgctccag	gacc	ctct	a a	ccac	gacgt	t								223
<210> 71 <211> 61 <212> PRT <213> Conus	rad.	iatus	₃ \											
<400> 71 Met Phe Thr 1	Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe Thr Ser	Gly 20	Arg	Arg	Thr	Phe	His 25	Gly	Arg	Asn	Ala	Ala 30	Ala	Lys	
Ala Ser Gly 35	Leu	Val	Ser	Leu	Thr 40	Asp	Arg	Arg	Pro	Glu 45	Суѕ	Суѕ	Ser	
His Pro Ala 50	Cys	Asn	Val	Asp 55	His	Pro	Glu	Ile	Cys 60	Arg				
<210> 72 <211> 223 <212> DNA <213> Conus	rad.	iatus	5			\		•						
<220> <221> CDS <222> (1)(183)														
<400> 72 atg ttc acc Met Phe Thr 1	gtg Val	ttt Phe 5	ctg Leu	ttg Leu	gtt Val	gtc Val	ttg Leu 10	gca Ala	acc Thr	acc Thr	gtc Val	gtt Val 15	tcc Ser	48
ttc act tca Phe Thr Ser														96
gcg tct ggc Ala Ser Gly 35														144
cat cct gcc His Pro Ala 50	tgt Cys	aac Asn	gta Val	gat Asp 55	cat His	cca Pro	gaa Glu	att Ile	tgc Cys 60	gat Asp	tga	agac	gct	193
gatgctccag	gacc	ctct	ga a	ccac	gacgi	t			\					223

	\	\	31													
	2> PI 3> Co	١	radi	iatus	5											
)> 7: Phe		Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe	Thr	Ser	\$50 Fly	Arg	Ser	Thr	Phe	Arg 25	Gly	Arg	Asn	Ala	Ala 30	Ala	Lys	
Ala	Ser	Gly 35	Leu	Val	Ser	Leu	Thr 40	Asp	Arg	Arg	Pro	Gln 45	Cys	Cys	Ser	
His	Pro 50	Ala	Cys	Asn	Val	Asp 55	His	Pro	Glu	Ile	Cys 60	Asp				
<211 <212)> 74 l> 21 2> Di 3> Co	18 NA	str:	iatus												
	L> CI		(171))												
atg)> 74 ttc Phe	act	gtg Val	ttt Phe 5	ctg Leu	ttg Leu	gtt Val	gtc Val	ttg Leu 10	gca Ala	atc Ile	act Thr	gtc Val	gtt Val 15	tcc Ser	48
			gat Asp 20													96
			gag Glu													144
			gag Glu						tgad	cgac	gct (gatg	ctcca	ag į		191
gaco	cctc	tga a	accad	cgac	gt to	cgag	ca	\	\							218
<212 <212	0> 7! l> 5' 2> Pl 3> Co	7 RT	str:	iatus	s					\						
)> 7! Phe		Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Ile	Thr	Val	Val 15	Ser	
Phe	Pro	Leu	Asp 20	Arg	Glu	Ser	Asp	Gly 25	Ala	Asn	Ala	Glu	Ala 30	Arg	Thr	
His	Asp	His 35	Glu	Lys	His	Ala	Leu 40	Asp	Arg	Asn	g/λ	Cys 45	Cys	Arg	Asn	
Pro	Ala 50	Cys	Glu	Ser	His	Arg 55	Cys	Gly			\	\				

32 <210> 76 <211> 227 <212> DNA												
<213> Conus bandanus												
<220>												
<400> 76 \\ atg ttc acc atg ttt ctg ttg gtt gtc ttg gca acc act gtc gtt tcc Met Phe Thr Met Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 1 5 10 15	48											
ttc gct tca gat cgt gca tct gat ggc agg aat gcc gca gcc aag gac Phe Ala Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Lys Asp 20 25 30	96											
aaa gcg tct gac ctg gtc gct ctg acc gtc aag gga tgc tgt tct cat Lys Ala Ser Asp Leu Val Ala Leu Thr Val Lys Gly Cys Cys Ser His 35 40 45	144											
cct gcc tgt agc gtg àat aat cca gac att tgt ggt tgaagacgct Pro Ala Cys Ser Val Asn Asn Pro Asp Ile Cys Gly 50 60	190											
gatgetecag gaccetetga accaegacgt tegagea 22												
<210> 77 <211> 60 <212> PRT <213> Conus bandanus												
<pre><400> 77 Met Phe Thr Met Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 1 5 10 15</pre>												
Phe Ala Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Lys Asp 20 25 30												
Lys Ala Ser Asp Leu Val Ala Leu Thr Val Lys Gly Cys Cys Ser His												
Pro Ala Cys Ser Val Asn Asn Pro Asp I le Cys Gly 50 60												
<210> 78 <211> 104 <212> DNA <213> Conus bandanus												
<220> <221> CDS <222> (1)(54)												
<pre><400> 78 aaa gaa tgc tgt act cat cct gcc tgt cac gtg agt cat cca gaa ctc Lys Glu Cys Cys Thr His Pro Ala Cys His Val Ser His Pro Glu Leu 1 5 10 15</pre>	48											
tgt ggt tgaaaagcga cgtgacgctc caggaccctc tgaaccacga cgttcgagca Cys Gly	104											

```
33
<210 ₹ 79
<211 18
<212× PRT
<213>\Conus bandanus
<400>
Lys Glu\Cys Cys Thr His Pro Ala Cys His Val Ser His Pro Glu Leu
Cys Gly
<210> 80
<211> 206
<212> DNA
<213> Conus bandanus
<220>
<221> CDS
<222> (1)..(171)
<400> 80
atg ttc acc gtg tth ctg ttg gtt gtc ttg gca act gct gtt ctt cca
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Ala Val Leu Pro
                                                                              48
                                                                              96
gto act tta gat ogt goldsymbol{c}_{oldsymbol{c}}a tot gat gga agg aat gca gco gao gco
Val Thr Leu Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Asn Ala
                                                                             144
aaa acg oot ogo otg ato \Sog ooa tto ato agg gat tát tgo tgt oat
Lys Thr Pro Arg Leu Ile Ala Pro Phe Ile Arg Asp Tyr Cys Cys His
aga ggt ccc tgt atg gta tgg \ tgt ggt tgaagccgct gctgctccag Arg Gly Pro Cys Met Val Trp \ Gly
                                                                              191
                                                                              206
gaccctctga accac
<210> 81
<211> 57
<212> PRT
<213> Conus bandanus
<400> 81
Met Phe Thr Val Phe Leu Leu Val Val Leoldsymbol{\chi} Ala Thr Ala Val Leu Pro
Val Thr Leu Asp Arg Ala Ser Asp Gly Arg 🔊 Ala Ala Ala Asn Ala
Lys Thr Pro Arg Leu Ile Ala Pro Phe Ile Arg Asp Tyr Cys Cys His
Arg Gly Pro Cys Met Val Trp Cys Gly
      50
                             55
<210> 82
<211> 174
```



												/	
35				40					45		/		
cgt gaa tgt Arg Glu Cys 50													189
tgatgctcca	ggaccctc	tg aa	ccac	gacç	J								219
<210> 85 <211> 63 <212> PRT <213> Conus	caracte	risti	cus							/			
<400> 85 Met Phe Thr 1	Val Phe 5		Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe Thr Ser	Asp Arg 20	Ala	Ser	Glu	Gly 25	Arg	Asn	Ala	Ala	Ala 30	Lys	Asp	-
Lys Ala Ser 35	Asp Leu	Val	Ala	Leu 40	Thr	Val	Arg	Gly	Cys 45	Cys	Ala	Ile	
Arg Glu Cys 50	Arg Leu	Gln	Asn 55	Ala	Ala	Ty	Cys	Gly 60	Gly	Ile	Tyr		•
<210> 86 <211> 217 <212> DNA <213> Conus	tulipa					<i>/</i> .							
<220> <221> CDS <222> (1)(186)													
<400> 86 atg ttc acc Met Phe Thr 1	gtg ttt Val Phe 5	Leu	ttg Leu	gtt Val	gtc Val	ttg Leu 10	gca Ala	acc Thr	act Thr	gtc Val	gtt Val 15	tcc Ser	48
ttc cct tca Phe Pro Ser	gat att Asp Ile 20	gca Ala	act Thr	gag Glu	ggc Gly 25	agg Arg	aat Asn	gcc Ala	gca Ala	gcc Ala 30	aaa Lys	gcg Ala	96
ttt gac ctg Phe Asp Leu 35													144
gcc tgt tcg Ala Cys Ser 50													186
tgatgctcca	ggaccct	tg aa	ccac	gaco	g t								217
<210> 87 <211> 62 <212> PRT <213> Conus	tulipa												
<400> 87 Met Phe Thr	Val Phe	Leu	Leu	Val	Val	Leu	Ala	Thr	Thr	Val	Val	Ser	

1 10 Phe Pro Ser Asp Ile Ala Thr Glu Gly Arg Asn Ala Ala Ala Lys Ala Phe Asp Leu Ile Ser Ser Ile Val Lys Lys Gly Cys Cys Sef His Pro Ala Cys Ser Gly Asn Asn Pro Glu Phe Cys Arg Gln Glý Arg <210> 88 <211> 217 <212> DNA <213> Conus tulipa <220> <221> CDS <222> (1)..(186) <400> 88 atg ttc acc gtg ttt ctg ttg gtt gtc tt/g gca acc act gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Léu Ala Thr Thr Val Val Ser 10 ttc cct tca gat ata gca act gag gg c agg aat gcc gca gcc aaa gcg Phe Pro Ser Asp Ile Ala Thr Glu Gly Arg Asn Ala Ala Ala Lys Ala ttt gac ctg ata tct tcg atc gtc/agg aaa gga tgc tgt tcc aat ccc 144 Phe Asp Leu Ile Ser Ser Ile Val Arg Lys Gly Cys Cys Ser Asn Pro 4/Ó gcc tgt gcg ggg aat aat cca éat gtt tgt cgt caa ggt cgc 186 Ala Cys Ala Gly Asn Asn Pro/His Val Cys Arg Gln Gly Arg 55/ tgatgctcca ggaccctctg aac¢acgacg t 217 <210> 89 <211> 62 <212> PRT <213> Conus tulipa <400> 89 Met Phe Thr Val Phe/Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Pro Ser Asp I/e Ala Thr Glu Gly Arg Asn Ala Ala Ala Lys Ala Phe Asp Leu Ile/Ser Ser Ile Val Arg Lys Gly Cys Cys Ser Asn Pro 35 Ala Cys Ala G∤y Asn Asn Pro His Val Cys Arg Gln Gly Arg 50 <210> 90 <211> 226 <212> DNA <213> Conús sulcatus

```
37
<230>
<221> CDS
<222 (1)..(195)
<400>
atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
ttc aat tca\sqrt{gat} cgt gat cca gca tta ggt ggc agg aat gct gca gcc
                                                                             96
Phe Asn Ser Asp Arg Asp Pro Ala Leu Gly Gly Arg Asn Ala Ala Ala
                                      25
aaa gcg tct gac\aag atc gct tcg acc ctc aag aga aga gga tgc tgt
Lys Ala Ser Asp Lys Ile Ala Ser Thr Leu Lys Arg Arg Gly Cys Cys
                                 40
tcg tat ttt gac tgt aga atg atg ttt cca gaa atg tgt ggt tgg cga
Ser Tyr Phe Asp Cys Arg Met Met Phe Pro Glu Met Cys Gly Trp Arg
                                                                             192
                             55
ggc tgatgctcca ggaccct'ctg aaccacgacg t
                                                                             226
Gly
 65
<210> 91
<211> 65
<212> PRT
<213> Conus sulcatus
<400> 91
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
Phe Asn Ser Asp Arg Asp Pro Ala Leu Gly Gly Arg Asn Ala Ala Ala
Lys Ala Ser Asp Lys Ile Ala Ser Thr Le\lambda Lys Arg Arg Gly Cys Cys
                                 40
Ser Tyr Phe Asp Cys Arg Met Met Phe Pro G\u00e1u Met Cys Gly Trp Arg
                             55
Gly
<210> 92
<211> 226
<212> DNA
<213> Conus sulcatus
<220>
<221> CDS
<222> (1)..(195)
<400> 92
atg tto acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc rak{d}{d}tt tcc
                                                                             48
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
                                                                             96
tto aat toa gat ogt gat oca goa tta ggt ggc agg aat got goa 塓co
Phe Asn Ser Asp Arg Asp Pro Ala Leu Gly Gly Arg Asn Ala Ala Ala
```


ggaccctctg aaccacgacg t

<210> 95 <211> 60 <212× PRT <213>\Conus sulcatus Met Phe igveeThr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Thr Ser Asp His Glu Ser Asp Arg Gly Asp Ala Gln Thr Ile Gln Glu Val Phe Glu Met Phe Ala Leu Asp Ser Asp Gly Cys Cys Trp His Pro Ala Cys Gly Arg His Tyr Cys Gly Arg Arg Arg <210> 96 <211> 202 <212> DNA <213> Conus sulcatus <220> <221> CDS <222> (1)..(195) <400> 96 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 10 ttc aat tca gat cgt gat cca qca tta ggt ggc agg aat gct gca gcc Phe Asn Ser Asp Arg Asp Pro Ala Leu Gly Gly Arg Asn Ala Ala 20 ata gcg tct gac aag atc gct tcg acc ctc agg aga gga tgc tgt Ile Ala Ser Asp Lys Ile Ala Ser Thr Leu Arg Arg Gly Gly Cys Cys 40 tct ttt gct gcc tgt aga aag tat cgt cca gaa atg tgt ggt gga cga Ser Phe Ala Ala Cys Arg Lys Tyr Arg Rro Glu Met Cys Gly Gly Arg 50 202 cgc tgatgct Arg 65 <210> 97 <211> 65 <212> PRT <213> Conus sulcatus <400> 97 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr thr Val Val Ser Phe Asn Ser Asp Arg Asp Pro Ala Leu Gly Gly Arg Asn √Ala Ala Ala Ile Ala Ser Asp Lys Ile Ala Ser Thr Leu Arg Arg Gly Gly Cys Cys

ļ

40 45 35 Ser Phe Ala Cys Arg Lys Tyr Arg Pro Glu Met Cys Gly Gly Arg 55 Arg 65 <210> 98 <211> 220 <212> DNA <213> Conus sulçatus <220> <221> CDS <222> (1)..(189) <400> 98 atg ttc acc gtg ttt ctg ttg gtt ctc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Leu Leu Ala Thr Thr Val Val Ser 48 96 ttc aat tca gat cgt gca tta ggt ggc agg aat gct gca gcc aaa gcg Phe Asn Ser Asp Arg Ala Leu Gly Gly Arg Asn Ala Ala Lys Ala 20 tct gac aag atc ctt tcg aa'c ctc agg aga gga tgc tgt ttt cat Ser Asp Lys Ile Leu Ser Asn Leu Arg Arg Gly Gly Cys Cys Phe His 189 cct gtc tgt tac atc aat ctt cha gaa atg tgt cgt caa cga ggc Pro Val Cys Tyr Ile Asn Leu Leu Glu Met Cys Arg Gln Arg Gly 220 tgatcgtcca ggaccctctg aaccacgacg <210> 99 <211> 63 <212> PRT <213> Conus sulcatus <400> 99 Met Phe Thr Val Phe Leu Leu Val Leu Leu Ala Thr Thr Val Val Ser Phe Asn Ser Asp Arg Ala Leu Gly Gly Arg Asn Ala Ala Ala Lys Ala Ser Asp Lys Ile Leu Ser Asn Leu Arg Arg Gly Gly Cys Cys Phe His Pro Val Cys Tyr Ile Asn Leu Leu Glu Met Cys Arg Ğln Arg Gly <210> 100 <211> 208 <212> DNA <213> Conus consors <220> <221> CDS

41 ..(177) <222> (1) <400> 100 atg ttc acd gtg ttt ctg ttg gtt gtc ttg aca acc act gtc.gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Val Val Ser 48 96 tto cot toa gat agt goa tot gat gto agg gat gao gaa goo aaa gao Phe Pro Ser Asp Ser Ala Ser Asp Val Arg Asp Asp Glu Ala Lys Asp gaa agg tot gaclatg tac aaa tog aaa ogg aat gga ogo tgt tgo cat 144 Glu Arg Ser Asp\Met Tyr Lys Ser Lys Arg Asn Gly Arg Cys Cys His cct gcc tgt ggc ata cac ttt agt tgt gga cgc tgatgctcca ggaccctctg 197 Pro Ala Cys Gly Lys His Phe Ser Cys Gly Arg aaccacgacg t 208 <210> 101 <211> 59 <212> PRT <213> Conus consors <400> 101 Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Val Val Ser Phe Pro Ser Asp Ser Ala Ser Asp Val Arg Asp Asp Glu Ala Lys Asp 25 Glu Arg Ser Asp Met Tyr Lys Ser Lys Arg Asn Gly Arg Cys Cys His Pro Ala Cys Gly Lys His Phe Ser Gys Gly Arg <210> 102 <211> 219 <212> DNA <213> Conus stercusmuscarum <220> <221> CDS <222> (1)..(189) <400> 102 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc act gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Tor Thr Val Val Ser 48 tee eet tea gat egt gea tet gat gge agg aat gee \gea gee aac gag 96 Ser Pro Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Asn Glu 20 aaa gcg tct gac gtg atc gcg ctg gcc ctc aag gga tgc tgt tcc aac Lys Ala Ser Asp Val Ile Ala Leu Ala Leu Lys Gly Cys Gys Ser Asn 35 cct gtc tgt cac ctg gag cat tca aac atg tgt ggt aga aga cgc



<i>I</i>					43								
\	٤٥			25					30				
Ser Asn Arg I 35	le Ala	Leu Thr	Val 40	Arg	Ser	Ala	Thr	Cys 45	Cys	Asn	Tyr		
Pro Pro Cys T 50	yr G lu	Thr Tyr 55		Glu	Ser	Cys	Leu 60						
<210> 106 <211> 223 <212> DNA <213> Conus b	etulinu	S											
<220> <221> CDS <222> (1)(1	83)	,											
<400> 106 atg ttc acc g Met Phe Thr V												48	
ttc act tca g	gt cgt (ly Arg 2 20	gca ttt Ala Phe	\cgt Arg	ggc Gly 25	agg Arg	aat Asn	cgc Arg	gca Ala	gcc Ala 30	gac Asp	gac Asp	96	
aaa agg tct g Lys Arg Ser A 35												144	
cat cct gcc to His Pro Ala C 50	gt gcg (ys Ala '	gtg aat Val Asn 55	His	cca Pro	gag Glu	ctt Leu	tgt Cys 60	ggc Gly	tgaa	agac	gct	193	
gatgccccag ga	ccctctg	a accac	gacgt	= \								223	
<210> 107 <211> 61 <212> PRT <213> Conus betulinus													
<400> 107 Met Phe Thr Va 1	al Phe 1 5	Leu Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser		
Phe Thr Ser G	ly Arg <i>i</i> 20	Ala Phe	Arg	Gly 25	Arg	Asn	Arg	Ala	Ala 30	Asp	Asp		
Lys Arg Ser A	sp Leu i	Ala Ala	Leu 40	Ser	Val	Arg	Gly	Gly 45	Cys	Cys	Ser		
His Pro Ala C	ys Ala '	Val Asn 55	His	Pro	Glu	Leu	Cys	Gly					
<210> 108 <211> 248 <212> DNA <213> Conus be	etulinus	s											
<220> <221> CDS									\				

`			44											
<222> (1)(180))													
<400> 108 atg ttc acc gtg Met Phe Thr Val	g ttt ctg Phe Leu 5	ttg gtt gtc Leu Val Val	ttg gca a Leu Ala 1	acc act gtc gtt Thr Thr Val Val 15	L Ser									
ttc act tca ggd Phe Thr Ser Gly 20	√Arg Ala		Arg Asn A											
tct aac cgg atc Ser Asn Arg Ile 35	get atg	gcc atc ago Ala Ile Ser 40	e agt gga g Ser Gly A	gca tgc tgt gca Ala Cys Cys Ala 45	a tat 144 a Tyr									
cct ccc tgt ttc Pro Pro Cys Phe 50					190									
catccagacc ttt	catccagacc tttgtggctg agacgctga tgccccagga ccctctgaac cacgacgt													
<210> 109 <211> 60 <212> PRT <213> Conus betulinus														
<400> 109 Met Phe Thr Val 1	. Phe Leu 5	Leu Wal Val	. Leu Ala 1	Thr Thr Val Val										
Phe Thr Ser Gl	-	Ser Gly Gly 25		Ala Ala Ala Lys 30	s Ala									
Ser Asn Arg Ile 35	e Ala Met	Ala Ile Ser	Ser Gly A	Ala Cys Cys Ala 45	a Tyr									
Pro Pro Cys Phe	e Glu Ala	Tyr Pro Glu	Arg Cys I	Leu 60										
<210> 110 <211> 223 <212> DNA <213> Conus betulinus														
<220> <221> CDS <222> (1)(192)														
<400> 110 atg ttc acc gtc Met Phe Thr Val	g ttt ctg Phe Leu 5	ttg gtt gtc Leu Val Val	ttg gca a Leu Ala 1	acc act gtc gt Thr Thr Val Val	l Ser									
ttc act tca gar Phe Thr Ser Asp	Arg Ala	ttt cgt ggc Phe Arg Gly 25	Arg Asn S	tcc gca gcc aad Ser Ala Ala As: 30	c gac 96 n Asp									
aaa agg tct gad Lys Arg Ser Asp 35	c ctg gcc c Leu Ala	gct ctg ago Ala Leu Ser 40	gtc agg a Val Arg A	aga gga tgc tgc Arg Gly Cys Cys 45	c tcc 144 s Ser									
cat ccc gcc tg	agc gtg	aat cat cca	a gag ctt f	tgt ggt aga ag	cgc 192									

His	Pro 50	Ala	Cy	Ser	Val	Asn 55	His	Pro	Glu	Leu	Cys 60	Gly	Arg	Arg	Arg	
tgatgcccca ggaccotctg aaccacgacg t														223		
<210> 111 <211> 64 <212> PRT <213> Conus betulinus																
)> 11 Phe		Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe	Thr	Ser	Asp 20	Arg	Ala	Phe	Arg	Gly 25	Arg	Asn	Ser	Ala	Ala 30	Asn	Asp	
Lys	Arg	Ser 35	Asp	Leu	Ala	Ala	Leu \ 40	Ser	Val	Arg	Arg	Gly 45	Cys	Cys	Ser	
His	Pro 50	Ala	Cys	Ser	Val	Asn 55	Nis	Pro	Glu	Leu	Cys 60	Gly	Arg	Arg	Arg	
<211 <212	0> 11 l> 24 2> Di 3> Co	18 NA	beti	ulinu	ıs			\								
<220> <221> CDS <222> (1)(180)																
atg		acc		ttt Phe 5												48
				cgt Arg												96
tct Ser	aac Asn	cgg Arg 35	atc Ile	gct Ala	ctg Leu	atc Ile	gtc Val 40	agg Arg	aat Asn	gca Ala	gaa Glu	tgc Cys 45	tgt Cys	tat Tyr	tat Tyr	144
				gag Glu								taa:	cgtga	aat		190
cato	ccaga	acc 1	ttg	tggct	tg aa	agaco	cctga	a tg	ctcca	agga	ccc	tga	aac (cacga	acgt	248
<212 <212	0> 13 L> 60 2> PE 3> Co	O RT	beti	ulinı	us							\				
)> 1: Phe		Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe	Thr	Ser	Gly	Arg	Ala	Ser	Gly	Gly	Arg	Asn	Ala	Ala	Ala	Lys	Ala	

46 20 25 30 Ser Asn Arg I \downarrow e Ala Leu Ile Val Arg Asn Ala Glu Cys Cys Tyr Tyr 40 Pro Pro Cys Tyr\Glu Ala Tyr Pro Glu Ile Cys Leu <210> 114 <211> 207 <212> DNA <213> Conus pennace us <220> <221> CDS <222> (1)..(168) <400> 114 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc att tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Ile Ser tto act toa gat ogt goa thot gat ggo ggg aat goo goa gog tot gao Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly Asn Ala Ala Ala Ser Asp 20 ctg atc gct ctg acc atc aag $\$ gga tgc tgt tct cat cct ccc tgt gcc Leu Ile Ala Leu Thr Ile Lys $\$ Cys Cys Ser His Pro Pro Cys Ala 35 atq aat aat cca gac tat tgt ggt tgacgacget gatgeteeag gaccetetga Met Asn Asn Pro Asp Tyr Cys Gly 50 ` 207 accacgacg <210> 115 <211> 56 <212> PRT <213> Conus pennaceus <400> 115 Met Phe Thr Val Phe Leu Leu Val Val Leu Àla Thr Thr Val Ile Ser Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly As $\mathring{\eta}$ Ala Ala Ser Asp Leu Ile Ala Leu Thr Ile Lys Gly Cys Cys Ser His Pro Pro Cys Ala Met Asn Asn Pro Asp Tyr Cys Gly <210> 116 <211> 207 <212> DNA <213> Conus pennaceus <220> <221> CDS

(168)<222> (1\) <400> 116 atg tto acc atg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc 48 ttc act tca gat cgt gca tct gat ggc ggg aat gcc gca atg tct gac Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly Asn Ala Ala Met Ser Asp 96 20 ctg atc gct ctg adc atc aag gga tgc tgt tct cat cct ccc tgt ttc 144 Leu Ile Ala Leu The Ile Lys Gly Cys Cys Ser His Pro Pro Cys Phe ctg aat aat cca gac $\$ tat tgt ggt tgacgacgct gatgctccag gaccctctga Leu Asn Asn Pro Asp $\$ tyr Cys Gly 207 accacgacg <210> 117 <211> 56 <212> PRT <213> Conus pennaceus <400> 117 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly Asn Ala Ala Met Ser Asp Cys Cys Ser His Pro Pro Cys Phe Leu Ile Ala Leu Thr Ile Lys Gly 35 Leu Asn Asn Pro Asp Tyr Cys Gly <210> 118 <211> 210 <212> DNA <213> Conus stercusmuscarum <220> <221> CDS <222> (1) .. (171) <400> 118 atg tte ace gtg ttt etg ttg gtt gte ttg gea ace act gte gtt tee 48 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 10 ttc cct tca gat cgt gaa tct gat ggc gcg aat gac \gaa gcc cgc acc 96 Phe Pro Ser Asp Arg Glu Ser Asp Gly Ala Asn Asp Glu Ala Arg Thr 20 30 gac gag cct gag gag cac gga ccg gac agg aat gga tgc tgt agg aat Asp Glu Pro Glu Glu His Gly Pro Asp Arg Asn Gly Cys Cys Arg Asn 35 40 cct gcc tgt gag agc cac aga tgt ggt tgacgacgct gatgct cag 191

Pro Ala Cys Glu Ser His Arg Cys Gly 50 210 gaccetetga accacgacg <210> 119 <211> 57 <212> PRT <213> Conus stercusmuscarum Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Pro Ser Asp Arg Glu Ser Asp Gly Ala Asn Asp Glu Ala Arg Thr 20 Asp Glu Pro Glu Glu His Gly Pro Asp Arg Asn Gly Cys Cys Arg Asn Pro Ala Cys Glu Ser His Arg Cys Gly. <210> 120 <211> 210 <212> DNA <213> Conus circumcisus <220> <221> CDS <222> (1)..(180) <400> 120 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc act gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 48 tto oot toa gat ogt goa tot gat ggo a\gg aat goo goa goo ago gao 96 Phe Pro Ser Asp Arg Ala Ser Asp Gly Ang Asn Ala Ala Ala Ser Asp 25 aga gcg tct gac gcg gcc cac cag gga tgc tgt tcc aac cct gtc tgt Arg Ala Ser Asp Ala Ala His Gln Gly Cys cys Ser Asp Pro Val Cys 144 cac gtg gaa cat cca gaa ctt tgt cgt aga aga cgc tgatgctcca 190 His Val Glu His Pro Glu Leu Cys Arg Arg Arg Arg 210 ggaccctctg aaccacgacg <210> 121 <211> 60 <212> PRT <213> Conus circumcisus <400> 121 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr\Val Val Ser Phe Pro Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Ser Asp

Arg Ala Ser Asp Ala Ala His Gln Gly Cys Cys Ser Asn Pro Val Cys 35 40 45

His Val Glu His Pro Glu Leu Cys Arg Arg Arg Arg

25

<210> 122 <211> 213

<212> DNA <213> Conus circumcisus

<220>

<221> CDS

<222> (1)..(174)

<400> 122

atg ttc acc gtg ttt ctg tt gtc ttg gca acc act gtc gtt tcc 48

Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser

1 10 15

ttc cct tca aat cgt gaa tct gat ggc gcg aat gcc gaa gtc cgc acc 96
Phe Pro Ser Asn Arg Glu Ser Asp Gly Ala Asn Ala Glu Val Arg Thr
20 . \(\) 25 30

gac gag cct gag gag cac gac gaa ctg ggc ggg aat gga tgc tgt ggg 144
Asp Glu Pro Glu Glu His Asp Glu Deu Gly Gly Asn Gly Cys Cys Gly
35 40 45

aat cct gac tgt acg agc cac agt tgt gat tgacgacgct gatgctccag 194
Asn Pro Asp Cys Thr Ser His Ser Cys Asp
50 55

gaccctctga accacgacg

213

<210> 123

<211> 58

<212> PRT

<213> Conus circumcisus

<400> 123

Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 1 5 10 \ 15

Phe Pro Ser Asn Arg Glu Ser Asp Gly Ala Asn Ala Glu Val Arg Thr 20 25 30

Asp Glu Pro Glu Glu His Asp Glu Leu Gly Gly Asn Gly Cys Cys Gly 35 40

Asn Pro Asp Cys Thr Ser His Ser Cys Asp 50 55

<210> 124

<211> 207

<212> DNA

<213> Conus episcopatus

<220>

<221> CDS

													-			
		1				50										
<222	> (1	.)	(k 68))												
<400 atg Met 1	ttc	acc	gtg Val	ttt Phe 5	ctg Leu	ttg Leu	gtt Val	gtc Val	ttg Leu 10	gca Ala	acc Thr	acc Thr	gtc Val	gtt Val 15	tcc Ser	48
ttc Phe																96
ctg Leu																144
atg Met								tgad	cgaco	get (gatgo	eteca	ag ga	accct	ctga	198
acca	cgac	g														207
<210 <211 <212 <213	> 56 > PR	T	epis	scopa	atus	·										
<400 Met 1			Val	Phe 5	Leu	Leu	\ Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
Phe	Thr	Ser	Asp 20	Arg	Ala	Ser	Asp	Ser 25	Arg	Lys	Asp	Ala	Ala 30	Ser	Gly	
Leu	Ile	Ala 35	Leu	Thr	Ile	Lys	Gly 40	Cys	gas	Ser	Asp	Pro 45	Arg	Cys	Asn	
Met .	Asn 50	Asn	Pro	Asp	Tyr	Cys 55	Gly			\						
<210 <211 <212 <213	> 21 > DN	.3 IA	spoi	nsali	is						\					
<220 <221 <222	> CE	_	(174))												
<400 atg Met 1	tcc	acc														48
ttc Phe	act Thr	gta Val	gat Asp 20	cgt Arg	gca Ala	tct Ser	gat Asp	ggc Gly 25	agg Arg	gat Asp	gtc Val	gca Ala	atc Ile \ 30	gac Asp	gac Asp	96
aga Arg	ttg Leu	gtg Val 35	tct Ser	ctc Leu	cct Pro	cag Gln	atc Ile 40	gcc Ala	cat His	gct Ala	gac Asp	tgt Cys 45	tgt Cys	tcc Ser	gat Asp	144
cct	gcc	tgc	aag	cag	acg	ccc	ggt	tgt	cgt	taaa	agac	gct (gctg	ckcc	ag	194

Pro Ala Cys Lys Gin Thr Pro Gly Cys Arg 213 gaccctctga accacgadg <210> 127 <211> 58 <212> PRT <213> Conus sponsalis <400> 127 Met Ser Thr Val Phe Le ψ Leu Val Val Leu Ala Thr Thr Val Val Ser Phe Thr Val Asp Arg Ala \Ser Asp Gly Arg Asp Val Ala Ile Asp Asp 20 25 Arg Leu Val Ser Leu Pro Gln Ile Ala His Ala Asp Cys Cys Ser Asp 40 Pro Ala Cys Lys Gln Thr Pro Gly Cys Arg <210> 128 <211> 221 <212> DNA <213> Conus sponsalis <220> <221> CDS <222> (1)..(168) <400> 128 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gct tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Ala Ser ttc att atc gat gat cca tct gat ggd agg aat att gca gtc gac gac Phe Ile Ile Asp Asp Pro Ser Asp Gly Arg Asn Ile Ala Val Asp Asp 96 aga ggg ctt ttc tct acg ctc ttc cat gct gat tgc tgt gaa aat cct 144 Arg Gly Leu Phe Ser Thr Leu Phe His Alambdaa Asp Cys Glu Asn Pro gcc tgt aga cac acg cag ggt tgt tgatctttgt tcttcaaaga cactgctggc Ala Cys Arg His Thr Gln Gly Cys 221 ccaggaccct ctgaaccacg acg <210> 129 <211> 56 <212> PRT <213> Conus sponsalis <400> 129 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Ala Ser 10 Phe Ile Ile Asp Asp Pro Ser Asp Gly Arg Asn Ile Ala Val Asp Asp

Arg Gly Leu Phe Ser thr Leu Phe His Ala Asp Cys Cys Glu Asn Pro

25

220

40 Ala Cys Arg His Thr Gin Gly Cys

<210> 130 <211> 220

<212> DNA <213> Conus dalli

<220>

<221> CDS

<222> (1)..(180)

atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser

tto act toa gat ogt goa ttt o \mathfrak{h} t ggo agg aat goo goa goo aaa gag 96 Phe Thr Ser Asp Arg Ala Phe Ang Gly Arg Asn Ala Ala Ala Lys Glu

tct ggc ctg gtc ggt ctg acc gac aag acg cga gga tgc tgt tct cat Ser Gly Leu Val Gly Leu Thr Asp Lys Thr Arg Gly Cys Cys Ser His

cct gcc tgt aac gta gat cat cca daa att tgt ggt tgaagacgct 190 Pro Ala Cys Asn Val Asp His Pro Glu Ile Cys Gly 50

gatgctccag gaccctctga accacgacgt

<210> 131

<211> 60

<212> PRT

<213> Conus dalli

<400> 131

Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser

Phe Thr Ser Asp Arg Ala Phe Arg Gly Arg Asn Ala Ala Lys Glu

Ser Gly Leu Val Gly Leu Thr Asp Lys Thr Art Gly Cys Cys Ser His

Pro Ala Cys Asn Val Asp His Pro Glu Ile Cys Gly

<210> 132

<211> 208

<212> DNA

<213> Conus dalli

<220>

<221> CDS

(177)<400> 132 atg ttc acc ttg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 48 10 ttc act tca gat ggt gca tct gat gac agg aaa gcc gct gcg tct gac Phe Thr Ser Asp Gly Ala Ser Asp Asp Arg Lys Ala Ala Ala Ser Asp 96 ctg atc act ctg acc atc aag gga tgc tgt tct cgt cct ccc tgt atc Leu Ile Thr Leu Thr Ile Lys Gly Cys Cys Ser Arg Pro Pro Cys Ile 144 gcg aat aat cca ga \grake ttg tgt ggt cga cgc tgatgctcca ggaccctctg 197 Ala Asn Asn Pro Ash Leu Cys Gly Arg Arg Arg 55 208 aaccacgacg t <210> 133 <211> 59 <212> PRT <213> Conus dalli <400> 133 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 10 Phe Thr Ser Asp Gly Ala Ser\Asp Asp Arg Lys Ala Ala Ala Ser Asp 25 Leu Ile Thr Leu Thr Ile Lys Gly Cys Cys Ser Arg Pro Pro Cys Ile Ala Asn Asn Pro Asp Leu Cys Gly Arg Arg Arg <210> 134 <211> 223 <212> DNA <213> Conus dalli <220> <221> CDS <222> (1)..(192) <400> 134 atg ttc acc gtg ttt ctg ttg gtt gtc ttg gda acc act gtc gtt tcc 48 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 10 tcc act tca ggt cgt cgt gca ttt cat ggc agg 🍇 at gcc gca gcc aaa 96 Ser Thr Ser Gly Arg Arg Ala Phe His Gly Arg Asn Ala Ala Ala Lys gcg tct gga ctg gtc ggt ctg act gac agg aga cca\caa tgc tgt agt 144 Ala Ser Gly Leu Val Gly Leu Thr Asp Arg Arg Pro Gln Cys Cys Ser 35 40 gat cct cgc tgt aac gta ggt cat cca gaa ctt tgt ggt gga aga cgc





	Asp Pro Arg 50	Cys	Asn	Val	Gly 55	His	Pro	Glu	Leu	Cys 60	Gly	Gly	Arg	Arg	
	tgatgctcca	ggac	cctc	tg a	acca	caac	g t								223
	<210> 135 <211> 64 <212> PRT <213> Conus dalli														
	<400> 135 Met Phe Thr 1	Val	Phe 5	Leu	Leu	Val	Val	Leu 10	Ala	Thr	Thr	Val	Val 15	Ser	
	Ser Thr Ser	Gly 20	Arg	Arg	Ala	Phe	His 25	Gly	Arg	Asn	Ala	Ala 30	Ala	Lys	
	Ala Ser Gly		Val	Gly	Leu	Thr 40	Asp	Arg	Arg	Pro	Gln 45	Суз	Cys	Ser	
	Asp Pro Arg	Cys	Asn	Val	Gly 55	His	Pro	Glu	Leu	Cys 60	Gly	Glý	Arg	Arg	
<210> 136 <211> 220 <212> DNA <213> Conus dalli															
	<220> <221> CDS <222> (1)	(189)					•							
	<400> 136 atg ttc acc Met Phe Thr 1														48
	tcc act tca Ser Thr Ser														96
	tct ggc ctg Ser Gly Leu 35														144
	cct cgc tgt Pro Arg Cys 50														189
	tgatgctcca	ggac	cctc	tg aa	accad	cgacq	g t								220
	<210> 137 <211> 63 <212> PRT <213> Conus	dal	li												
	<400> 137														

<400> 137

Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 1 5 10 15

Ser Thr Ser Gly Arg Ala Phe His Gly Arg Asn Ala Ala Ala Lys Ala

20 25 30 Ser Gly Leu Val Gly Leu Thr Asp Lys Arg Gln Val Cys Cys Ser Asp 40 Pro Arg Cys Asn Val Gly His Pro Glu Ile Cys Gly Gly Arg Arg <210> 138 <211> 208 <212> DNA <213> Conus achatinus <220> <221> CDS <222> (1)..(180) <400> 138 atg ttc acc gtg ttt ctg ttg gtt gtc ttg aca acc act gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Val Val Ser tto cot toa gat agt goa tot ggt ggc agg gat gac gag gcc aaa gac Phe Pro Ser Asp Ser Ala Ser Gly Gly Arg Asp Asp Glu Ala Lys Asp gaa agg tct gac atg tac gaa ttg aaa cgg aat gga cgc tgt tgc cat 144 Glu Arg Ser Asp Met Tyr Glu Leu Lys Arg Asn Gly Arg Cys Cys His 190 cct gcc tgt ggt ggc aaa tac gtt aaa tgt gga cgc tgatgctcca Pro Ala Cys Gly Gly Lys Tyr Val Lys Cys Gly Arg 208 ggaccctctc gaaccacg <210> 139 <211> 60 <212> PRT <213> Conus achatinus <400> 139 Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Val Val Ser Phe Pro Ser Asp Ser Ala Ser Gly Gly Arg Asp Asp Glu Ala Lys Asp Glu Arg Ser Asp Met Tyr Glu Leu Lys Arg Asn Gly Arg Cys Cys His

96

<210> 140

<211> 211


<212> DNA

<213> Conus bullatus


Pro Ala Cys Gly Gly Lys Tyr Val Lys Cys Gly Arg

<220>

<221> CDS









Phe Pro Ser Asp Arg Asp Ser Asp Gly Ala Asp Ala Glu Ala Ser Asp

Glu Pro Val Glu Phe Glu Arg Asp Glu Asn Gly Cys Cys Trp Asn Pro
35 40 45

Ser Cys Pro Arg Pro Arg Cys Thr Gly Arg Arg 50 55

- <210> 146
- <211> 211
- <212> DNA
- <213> Conus bullatus
- <220>
- <221> CDS
- <222> (1)..(180)
- <400> 146
- atg ttc acc gtg ttt ctg ttg gtt gtc ttg aca acc act gtc gtt tcc 48
 Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Thr Val Val Ser
 1 5 10 15
- ttc cct tca gat cgt gca tct gat ggc agg aat gcc gca gcc aac gac 96
 Phe Pro Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp
- aaa gcg tct gac gtg gtc acg ctg gtc ctc aag gga tgc tgt tcc acc $$ 144 Lys Ala Ser Asp Val Val Thr Leu Val Leu Lys Gly Cys Cys Ser Thr $$ 35 $$ 40
- cct ccc tgt gct gtg ctg tat tgt ggt aga aga cgc tgatgctcca 190
 Pro Pro Cys Ala Val Leu Tyr Cys Gly Arg Arg Arg
 50 60
- ggaccetetg aaccacgacg t 211
- <210> 147
- <211> 60
- <212> PRT
- <213> Conus bullatus
- <400> 147
- Met Phe Thr Val Phe Leu Leu Val Val Leu Thr Thr Thr Val Val Ser 1 5 10 15
- Phe Pro Ser Asp Arg Ala Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp 20 25 30
- Lys Ala Ser Asp Val Val Thr Leu Val Leu Lys Gly Cys Cys Ser Thr 35 40 45
- Pro Pro Cys Ala Val Leu Tyr Cys Gly Arg Arg Arg 50 55 60
- <210> 148
- <211> 212
- <212> DNA
- <213> Conus distans
- <220>
- <221> CDS





```
<223> Xaa at residues 4, 11 and 12 is Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr. Xaa at residue 6 is
      Pro or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (9)..(15)
<223> Xaa at residues 9, 10 and 15 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys; Xaa at
      residue 14 is Trp (D or L) or halo-Trp.
<400> 154
Gly Cys Cys Xaa Asn Xaa Val Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa
                                       10
<210> 155
<211> 16
<212> PRT
<213> Conus purpurascens
<220>
<221> PEPTIDE
<222> (1)..(3)
<223> Xaa at residue 1 is Gln or pyro-Glu; Xaa at
      residue 2 is Glu or gamma-carboxy-Glu; Xaa at
      residues 3 and 9 is Pro or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (13)
<223> Xaa at residue 13 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 155
Xaa Xaa Xaa Gly Cys Cys Arg His Xaa Ala Cys Gly Xaa Asn Arg Cys
  1
<210> 156
<211> 13
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (5)..(11)
<223> Xaa at residues 5 and 11 is Pro or hydroxy-Pro.
<400> 156
Cys Cys Ala Asp Xaa Asp Cys Arg Phe Arg Xaa Gly Cys
                                       10
<210> 157
<211> 17
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (4)..(13)
<223> Xaa at residues 4 and 13 is Tyr, nor-Tyr,
```

```
mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr or nitr\phi-Tyr; Xaa at residues 6 and
      10 is Pro or hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (9)..(17)
<223> Xaa at residues 9 and 14 is Trp (D or L) or
      halo-Trp; Xaa at residues 11 and 17 is Lys,
      N-methyl-Lys, N, N-dimethyl-Lys or
      N, N, N-trimethyl-Lys.
<400> 157
Gly Cys Cys Xaa Asn Xaa Ser Cys Xaa Xaa Xaa Thr Xaa Cys Ser Xaa
Xaa
<210> 158
<211> 13
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (5)..(8)
<223> Xaa at residue 5 is Pro or hydroxy-Pro; Xaa at
      residue 8 is Lys, N-methyl-Lys, N,N-dimethyl-Lys
      or N, N, N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (9)..(11)
<223> Xaa at residue 9 is Glu or gamma-carboxy-Glu; Xaa
      at residue 11 is Tyr, nor-Tyr, mond-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 158
Cys Cys Ser Asn Xaa Thr Cys Xaa Xaa Thr Xaa Gly Cys
<210> 159
<211> 13
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (5)..(11)
<223> Xaa at residues 5 and 11 is Pro or hydroxy+Pro;
      Xaa at residue 8 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 159
Cys Cys Ala Asn Xaa Ile Cys Xaa Asn Thr Xaa Gly Cys
<210> 160
<211> 13
```

```
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (5)..(8)
<223> Xaa at re%idue 5 is Pro or hydroxy-Pro; Xaa at
      residue 8 \(\int is Lys, N-methyl-Lys, N,N-dimethyl-Lys\)
      or N, N, N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (9)..(11)
<223> Xaa at residue\9 is Glu or gamma-carboxy-Glu; Xaa
      at residue 11 it Tyr, mono-halo-Tyr, di-halo-Tyr,
      O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr.
<400> 160
Cys Cys Asn Asn Xaa Thr Cys Xaa Xaa Thr Xaa Gly Cys
                  5
                                      10
<210> 161
<211> 13
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (5)..(8)
<223> Xaa at residue 5 is Pro or hydroxy-Pro; Xaa at
      residue 8 is Lys, N-methyl-Lys
      or N,N,N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (9)..(11)
<223> Xaa at residue 9 is Glu or gamma carboxy-Glu; Xaa
      at residue 11 is Tyr, nor-Tyr, mơno-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 161
Cys Cys Ser Asn Xaa Val Cys Xaa Xaa Thr Xaa Gly Cys
<210> 162
<211> 17
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residue 6 is Tyr, nor-Tyr, mono-halo-T\( xr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr; Xaa at residues 7, 8 and 14 is Pro or
      hydroxy-Pro.
<220>
<221> PEPTIDE
<222> (15)
<223> Xaa at residue 15 is Lys, N-methyl-Lys,
```

```
N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 162
Gly Gly Cys Cys\Ser Xaa Xaa Xaa Cys Ile Ala Ser Asn Xaa Xaa Cys
                                       10
Gly
<210> 163
<211> 15
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 163
Gly Cys Cys Ser His Xaa Val Cys Ser Ala Met Ser Xaa Ile Cys
<210> 164
<211> 15
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (4)..(12)
<223> Xaa at residues 4 and 12 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys; Xaa at
      residue 6 is Pro or hydroxy-Aro.
<220>
<221> PEPTIDE
<222> (7)..(14)
<223> Xaa at residues 7 and 14 is Tyr \ mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 164
Gly Cys Cys Xaa Asn Xaa Xaa Cys Gly Ala $er Xaa Thr Xaa Cys
                                      10
<210> 165
<211> 15
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (5)..(13)
<223> Xaa at residue 5 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr; Xaa at residues 6, 7 and 13 is Pro or
      hydroxy-Pro.
<400> 165
Gly Cys Cys Ser Xaa Xaa Xaa Cys Phe Ala Thr Asn X{f a}a Asp Cys
```

```
5
                                      10
                                                          15
  1
<210> 166
<211> 17
<212> PRT
<213> Conus \radiatus
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residue 6 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr; Xaa at residues 7, 8 and 14 is Pro or
      hydroxy-Prd
<400> 166
Gly Gly Cys Cys Se\eta Xaa Xaa Xaa Cys Ile Ala Asn Asn Xaa Leu Cys
Ala
<210> 167
<211> 17
<212> PRT
<213> Conus radiatus
<220>
<221> PEPTIDE
<222> (6)..(14)
hydroxy-Pro.
<400> 167
Gly Gly Cys Cys Ser Xaa Xaa Cys Ile Ala Asn Asn Xaa Phe Cys
                                     10
Ala
<210> 168
<211> 16
<212> PRT
<213> Conus virgo
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro.
<400> 168
Asp Cys Cys Ser Asn Xaa Xaa Cys Ser Gln Asn Asn Xaa Asp Cys Met
<210> 169
<211> 16
<212> PRT
<213> Conus virgo
```

The dual of the order

÷-.[

Į)

ļ:=L

ĨIJ

(I)

```
66
<220>
<221> PEPT\ DE
<222> (6).\(13)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro.
<400> 169
Asp Cys Cys Ser Asn Xaa Xaa Cys Ala His Asn Asn Xaa Asp Cys Arg
<210> 170
<211> 20
<212> PRT
<213> Conus achatinus
<220>
<221> PEPTIDE
<222> (1)..(14)
<223> Xaa at residues 1, 11 and 14 is Glu or gamma-carboxy-Glu; Xaa at residue 6 is Pro or
      hydroxy-Pro.
<400> 170
Xaa Cys Cys Thr Asn Xaa Val Cys His Ala Xaa His Gln Xaa Leu Cys
Ala Arg Arg Arg
              20
<210> 171
<211> 16
<212> PRT
<213> Conus achatinus
<220>
<221> PEPTIDE
<222> (6)..(10)
<223> Xaa at residue 6 is Pro or hydroxy-Pro; Xaa at
      residue 10 is Glu or gamma-carboxy-Glu. -
Gly Cys Cys Ser Asn Xaa Val Cys His Leu Xaa His Ser Asn Leu Cys
<210> 172
<211> 20
<212> PRT
<213> Conus achatinus
<220>
<221> PEPTIDE
<222> (1)..(14)
<223> Xaa at residues 1, 11 and 14 is Glu or
      gamma-carboxy-Glu; Xaa at residue 6 is Pro or
      hydroxy-Pro.
Xaa Cys Cys Thr Asn Xaa Val Cys His Val Xaa His Glh Xaa Leu Cys
Ala Arg Arg Arg
              20
```

```
<210>
<211> 17
<212> PR'
<213> Conus ammiralis
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at esidue 1 is Gln or pyro-Glu; Xaa at
      residues \ 2 and 15 is Glu or gamma-carboxy-Glu; Xaa
      at residue 6 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-T\sqrt{r}r, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<220>
<221> PEPTIDE
<222> (7)..(14)
<223> Xaa at residues 7 and 14 is Pro or hydroxy-Pro.
<400> 173
Xaa Xaa Cys Cys Ser Xaa Xaa Ala Cys Asn Leu Asp His Xaa Xaa Leu
Cys
<210> 174
<211> 18
<212> PRT
<213> Conus ammiralis
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residues 1, 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residues 2 and 15 is Glu or
      gamma-carboxy-Glu.
<400> 174
Xaa Xaa Cys Cys Ser Asp Xaa Arg Cys Asn Ser Thr His Xaa Xaa Leu
Cys Gly
<210> 175
<211> 21
<212> PRT
<213> Conus arenatus
<220>
<221> PEPTIDE
<222> (7)..(12)
<223> Xaa at residues 7 and 8 is Pro or hydroxy-Pro; Xaa
      at residue 10 is Trp (D or L) or halo-Trp; Xaa ab
      residues 11 and 12 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (13)..(19)
```

```
<223> Xaa at \chiesidue 13 is Tyr, nor-Tyr, mono-halo-Tyr,
       di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
       nitro-Tyr ; Xaa at residue 19 is Glu or
       gamma-carboxy-Glu.
<400> 175
Leu Asn Cys Cys Met Ile Xaa Xaa Cys Xaa Xaa Xaa Gly Asp Arg
Cys Ser Xaa Val Arg
              20
<210> 176
<211> 22
<212> PRT
<213> Conus arenatus
<220>
<221> PEPTIDE
<222> (9)..(20)
<223> Xaa at residue 9 is Pro or hydroxy-Pro; Xaa at
      residues 12 and 20 is Glu or gamma-carboxy-Glu;
Xaa at residue 14 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 176
Ala Phe Gly Cys Cys Asp Leu Ile Xaa Cys Leu Xaa Arg Xaa Gly Asn
Arg Cys Asn Xaa Val His
<210> 177
<211> 21
<212> PRT
<213> Conus arenatus
<220>
<221> PEPTIDE
<222> (8)..(16)
<223> Xaa at residue 8 is Pro or hydroxy-Pro; Xaa at
      residue 10 is Trp (D or L) or halo-Trp; Xaa at
      residues 12 and 16 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (11)..(19)
<223> Xaa at residues 11 and 19 is Glu or
      gamma-carboxy-Glu; Xaa at residue 13 is Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr or nitro-Tyr.
<400> 177
Leu Gly Cys Cys Asn Val Thr Xaa Cys Xaa Xaa Xaa Xaa Gly Aşp Xaa
Cys Asn Xaa Val Arg
```

```
69
<2\0> 178
<21 > 20
<212 PRT
<213> Conus arenatus
<220>
<221> PEPTIDE
<222> (2) \( (14)
<223> Xaa at residue 2 is Glu or gamma-carboxy-Glu; Xaa
      at restidues 7 and 14 is Pro or hydroxy-Pro.
<400> 178
Asp Xaa Cys Cys∕ Ser Asn Xaa Ala Cys Arg Val Asn Asn Xaa His Val
Cys Arg Arg Arg
             20
<210> 179
<211> 21
<212> PRT
<213> Conus arenatus
<220>
<221> PEPTIDE
<222> (7)..(12)
<223> Xaa at residue 7 is Pro or hydroxy-Pro; Xaa at
      residue 10 is Trp (D or L) or halo-Trp; Xaa at
      residue 12 is Glu or gamma-carboxy-Glu.
<220>
<221> PEPTIDE
<222> (13)..(19)
<223> Xaa at residue 13 is Tyr, nar-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr; Xaa at residues 14\foralland 19 is Lys,
      N-methyl-Lys, N, N-dimethyl-Lys\or
      N, N, N-trimethyl-Lys.
<400> 179
Leu Asn Cys Cys Ser Ile Xaa Gly Cys Xaa 🗛 Xaa Xaa Xaa Asp Arg
Cys Ser Xaa Val Arg
             20
<210> 180
<211> 18
<212> PRT
<213> Conus aurisiacus
<220>
<221> PEPTIDE
<222> (7)..(14)
<223> Xaa at residues 7 and 14 is Pro or hydroxy-Pro;
      Xaa at residue 10 is Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 180
Gly Gly Cys Cys Ser His Xaa Val Cys Xaa Phe Asn Asn Xaa Gln
                                                              Met
```

```
Cys Arg
<210> 181
<211> 18
<212> PRT
<213> Conus aurisiacus
<220>
<221> PEPTIDA
<222> (7)..(14)
<223> Xaa at residues 7 and 14 is Pro or hydroxy-Pro.
<400> 181
Gly Gly Cys Cys Ser His Xaa Val Cys Asn Leu Asn Asn Xaa Gln Met
Cys Arg
<210> 182
<211> 17
<212> PRT
<213> Conus bandanus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6 and 7 is Pro or hydroxy-Pro; Xaa at residues 9 and 15 is Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr \( \)O-phospho-Tyr or
      nitro-Tyr.
<400> 182
Gly Cys Cys Ser His Xaa Xaa Cys Xaa\Ala Asn Asn Gln Ala Xaa Cys
Asn
<210> 183
<211> 17
<212> PRT
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (7)..(15)
<223> Xaa at residues 7 and 14 is Pro and hydroxy-Rro;
      Xaa at residue 15 is Glu or gamma-carboxy-Glu
<400> 183
Gly Gly Cys Cys Ser His Xaa Ala Cys Ser Val Thr His Xaa Xaa Leu
Cys
<210> 184
<211> 18
```

```
71
<212> PR/T
<213> Conus betulinus
<220>
<221> PEPTIDE
<222> (6)..(\12)
gamma-carboxy-Glu.
<400> 184
Gly Gly Cys Cys Ser Xaa Xaa Ala Cys Ser Val Xaa His Gln Asp Leu
Cys Asp
<210> 185
<211> 25
<212> PRT
<213> Conus caracteristicus
<220>
<221> PEPTIDE
<222> (8)..(22)
<223> Xaa at residues 8 and 22\is Pro or hydroxy-Pro;
     Xaa at residue 10 is Trp \(D or L) or halo-Trp; Xaa
     at residue 13 is Tyr, nor Tyr, mono-halo-Tyr,
     di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
     nitro-Tyr.
<220>
<221> PEPTIDE
<222> (15)..(19)
<223> Xaa at residues 15, 16 and 19 is Glu or
     gamma-carboxy-Glu.
<400> 185
Val Ser Cys Cys Val Val Arg Xaa Cys Xaa I∕le Arg Xaa Gln Xaa Xaa
                                    10
Cys Leu Xaa Ala Asp Xaa Arg Thr Leu
            20
<210> 186
<211> 21
<212> PRT
<213> Conus caracteristicus
<220>
<221> PEPTIDE
<222> (1)..(19)
<223> Xaa at residue 1 is Gln or pyro-Glu; Xaa at
      residue 7 is Pro or hydroxy-Pro; Xaa at residue
      is Trp (D or L) or halo-Trp; Xaa at residues 11
      and 19 is Glu or gamma-carboxy-Glu.
<220>
<221> PEPTIDE
<222> (12)..(16)
```

```
<223> Xaa at rasidues 12 and 16 is Lys, N-methyl-Lys,
      N, N-dimet yl-Lys or N, N, N-trimethyl-Lys; Xaa at
      residue 13\is Tyr, mono-halo-Tyr, di-halo-Tyr,
      O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr.
<400> 186
Xaa Asn Cys Cys Ser√Ile Xaa Gly Cys Xaa Xaa Xaa Gly Asp Xaa
Cys Ser Xaa Val Arg
             20
<210> 187
<211> 16
<212> PRT
<213> Conus catus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 11 is Glu or gamma-carboxy-Glu.
<400> 187
Gly Cys Cys Ser Asn Xaa Val Cys His Leu Xaa His Xaa Asn Ala Cys
                                      10
<210> 188
<211> 17
<212> PRT
<213> Conus catus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 9 is Tyr, nor-Tyr,\ mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 188
Gly Cys Cys Ser Asn Xaa Ile Cys Xaa Phe Ash Asn Xaa Arg Ile Cys
Arg
<210> 189
<211> 17
<212> PRT
<213> Conus episcopatus
<220>
<221> PEPTIDE
<222> (1)..(14)
<223> Xaa at residues 1 and 14 is Glu or
      gamma-carboxy-Glu; Xaa at residues 6, 7 and 13 
m hs
      Pro or hydroxy-Pro; Xaa at residue 10 is Trp (D &r
      L) or halo-Trp.
<220>
```

```
<221> PEPTIDE
<222> (11)
<223> Xaa at residue 11 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 189
Xaa Cys Cys Ser 👣 Naa Xaa Cys Arg Xaa Xaa His Xaa Xaa Leu Cys
Ser
<210> 190
<211> 16
<212> PRT
<213> Conus geographus
<220>
<221> PEPTIDE
<222> (6)
<223> Xaa at residue 6 is Pr \delta  or hydroxy-Pro.
<400> 190
Gly Cys Cys Ser His Xaa Ala Cys 🗛 Gly Asn Asn Gln His Ile Cys
                                      10
<210> 191
<211> 18
<212> PRT
<213> Conus geographus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 191
Gly Cys Cys Ala Val Xaa Ser Cys Arg Leu Arg Ash Xaa Asp Leu Cys
                                       10
Gly Gly
<210> 192
<211> 16
<212> PRT
<213> Conus imperialis
<220>
<221> NP BIND
\langle 222 \rangle (6) ... (13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 192
Gly Cys Cys Ser His Xaa Ala Cys Asn Val Asn Asn Xaa His Ile
<210> 193
<211> 20
<212> PRT
```

```
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (2)..(10)
<223> Xaa at residues 2, 7, 9 and 10 is Pro or
      hydroxy-Aro; Xaa at residues 3 and 4 is Glu or
      gamma-carboxy-Glu.
<400> 193
Thr Xaa Xaa Xaa Cys Cys Xaa Asn Xaa Xaa Cys Phe Ala Thr Asn Ser
                                        10
Asp Ile Cys Gly
<210> 194
<211> 17
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (7)..(12)
<223> Xaa at residue 7 is Pro or hydroxy-Pro; Xaa at residue 12 is Lys, N-methyl-Lys, N,N-dimethyl-Lys
      or N, N, N-trimethyl-Lys.
<400> 194
Asp Ala Cys Cys Ser Asp Xaa Akg Cys Ser Gly Xaa His Gln Asp Leu
                                        10
Cys
<210> 195
<211> 17
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (1)..(7)
<223> Xaa at residue 1 is Glu or gamma-carboxy-Glu; Xaa
      at residue 7 is Pro or hydroxy-Pro.
<400> 195
Xaa Asp Cys Cys Ser Asp Xaa Arg Cys Ser Val√Gly His Gln Asp Leu
                                        10
Cys
<210> 196
<211> 16
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (6)
```

```
75
<223> Xaa at residue 6 is Pro or hydroxy-Pro.
<400> 196
Gly Cys Cys Ser√His Xaa Ala Cys Ala Gly Ser Asn Ala His Ile Cys
<210> 197
<211> 17
<212> PRT
<213> Conus lividu
<220>
<221> PEPTIDE
<222> (1)..(7)
<223> Xaa at residue 1 is Glu or gamma-carboxy-Glu; Xaa at residue 7 is Pro or hydroxy-Pro.
<400> 197
5
  1
Cys
<210> 198
<211> 16
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 \{s Pro or hydroxy-Pro.
<400> 198
Gly Cys Cys Ser His Xaa Ala Cys Ala Gly Asn Asn Xaa His Ile Cys
                                      10
<210> 199
<211> 17
<212> PRT
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa at residues 6 and 13 is Pro of hydroxy-Pro;
Xaa at residue 14 is Tyr, mono-halp-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 199
Gly Cys Cys Gly Asn Xaa Ser Cys Ser Ile Hi4 Ile Xaa Xaa Val Cys
Asn
<210> 200
<211> 21
```

```
76
<212>
<213> Conus lividus
<220>
<221> PEPTIDE
<222> (4).\((5))
<223> Xaa at residues 4 and 5 is Glu or
      gamma\carboxy-Glu.
<400> 200
Thr Asp Ser Xaa Cys Cys Leu Asp Ser Arg Cys Ala Gly Gln His
Gln Asp Leu Cys \Gly
<210> 201
<211> 17
<212> PRT
<213> Conus marmoreùs
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6 and 7 is Pro or hydroxy-Pro; Xaa at residues 9 and 15 is Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 201
Gly Cys Cys Ser Asn Xaa Xaa Cys Xaa Ala Asn Asn Gln Ala Xaa Cys
                                        10
Asn
<210> 202
<211> 16
<212> PRT
<213> Conus marmoreus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 202
Gly Cys Cys Ser His Xaa Ala Cys Ser Val Asn Asn Xaa Asp Ile Cys
                                        10
<210> 203
<211> 18
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (2)..(15)
<223> Xaa at residues 2 and 12 is Lys, N-methyl Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys; Xa at
      residue 14 is Pro or hydroxy-Pro.
```

```
<220>
<221> PEPT\DE
<222> (16)
<223> Xaa at residue 16 is Tyr, mono-halo-Tyr,
      di-hald-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-T\r.
<400> 203
Gly Xaa Cys Cys√Ile Asn Asp Ala Cys Arg Ser Xaa His Xaa Gln Xaa
Cys Ser
<210> 204
<211> 17
<212> PRT
<213> Conus musicus
<220>
<221> PEPTIDE
<222> (4)..(15)
<223> Xaa at residues 4 and 15 is Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr or nit\ro-Tyr; Xaa at residue 13 is
      Pro or hydroxy-Pro.
<400> 204
Gly Cys Cys Xaa Asn Ile Ala Ċys Arg Ile Asn Asn Xaa Arg Xaa Cys
                                      10
Arg
<210> 205
<211> 17
<212> PRT
<213> Conus obscurus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6 and 13 is Pro or \hydroxy-Pro;
      Xaa at residues 12 and 15 is Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho Tyr,
      O-phospho-Tyr or nitro-Tyr.
<220>
<221> PEPTIDE
<222> (14)
<223> Xaa at residue 14 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 205
Gly Cys Cys Ser His Xaa Val Cys Arg Phe Asn Xaa Xaa Xaa Cys
Gly
<210> 206
```

```
<211>
<212२\₽
<213>
              obscurus
<220>
<221> PEPTIDA
<222> (2)..(1)5
<222> (2)..(i)
<223> Xaa at residue 2 is Glu or gamma-carboxy-Glu; Xaa
at residue 7, 8 and 14 is Pro or hydroxy-Pro; Xaa
at residue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
       nitro-Tyr
<400> 206
Asp Xaa Cys Cys Ala Ser Xaa Xaa Cys Arg Leu Asn Asn Xaa Xaa Val
Cys His
<210> 207
<211> 19
<212> PRT
<213> Conus obscurus
<220>
<221> PEPTIDE
<222> (6)..(18)
<223> Xaa at residue 6 is Pro or hydroxy-Pro; Xaa at
       residue 9 is Trp (D or L) \or halo-Trp; Xaa at
       residues 14 and 18 is Glu or gamma-carboxy-Glu.
<220>
<221> PEPTIDE
<222> (15)
<223> Xaa at residue 15 is Tyr, nor Tyr, mono-halo-Tyr,
       di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
       nitro-Tyr.
<400> 207
Gly Cys Cys Ser Asn Xaa Val Cys Xaa Gln\Asn Asn Ala Xaa Xaa Cys
                                            10
Arg Xaa Ser
<210> 208
<211> 16
<212> PRT
<213> Conus obscurus
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6 and 7 is Pro or hydroxy-Rro; Xaa
       at residue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
       di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
       nitro-Tyr.
<400> 208
Gly Cys Cys Ser His Xaa Xaa Cys Ala Gln Asn Asn Gln Astp Xaa Cys
```

```
209
<210
      19
<211>
<212> ART
<213> Conus obscurus
<220>
<221> PEPT DE
<222> (6)..(15)
<223> Xaa at\residue 6 is Pro or hydroxy-Pro; Xaa at
       residues 14 and 18 is Glu or gamma-carboxy-Glu;
      Xaa at kesidue 15 is Tyr, nor-Tyr, mono-halo-Tyr,
       di-halo-\text{Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr
<400> 209
Gly Cys Cys Ser His Xaa Ala Cys Ser Gly Asn Asn Arg Xaa Xaa Cys
                                          10
Arg Xaa Ser
<210> 210
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (2)..(15)
<223> Xaa at residues 2, 7\and 14 is Pro or hydroxy-Pro;
      Xaa at residue 6 is Tyr, nor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or nitro-Tyr; Xaa at residue 15 is Glu or
      gamma-carboxy-Glu
<400> 210
Asp Xaa Cys Cys Ser Xaa Xaa Asp ∕Cys Gly Ala Asn His Xaa Xaa Ile
Cys Gly
<210> 211
<211> 17
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(14)
<223> Xaa at residues 1 and 14 is Glu or
                                                  \sqrt{7} and 13 is
      gamma-carboxy-Glu; Xaa at residues 6,
      Pro or hydroxy-Pro; Xaa at residue 10 \(\frac{1}{4}\)s Trp (D or
      L) or halo-Trp.
<220>
<221> PEPTIDE
<222> (11)
<223> Xaa at residue 11 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
```

```
the first time the section of the se
```

```
80
<400> 211
Xaa Cys Cys Ser Gln Xaa Xaa Cys Arg Xaa Xaa His Xaa Xaa Leu Cys
  1
Ser
<210> 212
<211> 16
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6\ and 13 is Pro or hydroxy-Pro.
<400> 212
Gly Cys Cys Ser His Xaa Ala Cys Ala Gly Asn Asn Xaa His Ile Cys
<210> 213
<211> 16
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (6)..(15)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 15 is Tyr, hor-Tyr, mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 213
Gly Cys Cys Ser Asp Xaa Ser Cys Asn\Val Asn Asn Xaa Asp Xaa Cys
                                        10
<210> 214
<211> 18
<212> PRT
<213> Conus omaria
<220>
<221> PEPTIDE
<222> (1)..(7)
<223> Xaa at residues 1 and 2 is Glu or
      gamma-carboxy-Glu; Xaa at residue 7 \is Pro or
      hydroxy-Pro.
<400> 214
Xaa Xaa Cys Cys Ser Asp Xaa Arg Cys Ser Val\Gly His Gln Asp Met
                                        10
Cys Arg
<210> 215
<211> 17
<212> PRT
```

```
81
<213> Conus purpurascens
<220>
<221> PEPTIDE
<222> (7)..(15)
<223> Xaa at residue 7 is Pro or hydroxy-Pro; Xaa at
      residue 14 is Glu or gamma-carboxy-Glu.
<400> 215
Gly Gly Cys Cys Šer Asn Xaa Ala Cys Leu Val Asn His Leu Xaa Met
Cys
<210> 216
<211> 18
<212> PRT
<213> Conus purpurascens
<220>
<221> PEPTIDE
<222> (3)..(15)
<223> Xaa at residues 3, 8 and 15 is Pro or hydroxy-Pro.
<400> 216
Arg Asp Xaa Cys Cys Phe Asn Xaa Ala Cys Asn Val Asn Asn Xaa Gln
Ile Cys
<210> 217
<211> 21
<212> PRT
<213> Conus purpurascens
<220>
<221> PEPTIDE
<222> (5)..(8)
<223> Xaa at residue 5 is Pro or \hydroxy-Pro; Xaa at
      residue 8 is Trp (D or L) or halo-Trp.
<400> 217
Cys Cys Ser Asp Xaa Ser Cys Xaa Arg\ Leu His Ser Leu Ala Cys Thr
Gly Ile Val Asn Arg
<210> 218
<211> 16
<212> PRT
<213> Conus purpurascens
<220>
<221> PEPTIDE
<222> (5)
<223> Xaa at residue 5 is Pro or hydroxy-Pro
<400> 218
```

```
82
Cys Cys Thr Asn Xaa Ala Cys Leu Val Asn Asn Ile Arg Phe Cys Gly
<210> 219
<211> 18
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (2)..(7)
<223> Xaa at residue 2\is Glu or gamma-carboxy-Glu; Xaa
      at residue 7 is Pro or hydroxy-Pro.
<400> 219
Asp Xaa Cys Cys Ser Asp Xaa Arg Cys His Gly Asn Asn Arg Asp His
Cys Ala
<210> 220
<211> 17
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13\is Pro or hydroxy-Pro.
<400> 220
Asp Cys Cys Ser His Xaa Leu Cys Arg Leu Phe Val Xaa Gly Leu Cys
                                        10
Ile
<210> 221
<211> 17
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro;
Xaa at residue 9 is Lys, N-methyl Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<220>
<221> PEPTIDE
<222> (12)
<223> Xaa at residue 12 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
      nitro-Tyr.
<400> 221
Gly Cys Cys Ser His Xaa Val Cys Xaa Val Arg √Xaa Xaa Asp Leu Cys
```

```
Arg
<21Q> 222
<211 16
<212>\PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6) \. (13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 222
Gly Cys Cys Ser His Xaa Ala Cys Asn Val Asn Asn Xaa His Ile Cys
<210> 223
<211> 16
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(12)
<223> Xaa at residue 6 is Pro or hydroxy-Pro; Xaa at residue 12 is Tyr, nor-Tyr, nor-Tyr,
      mono-halo-Tyr, di-halo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr or nitro-Tyr.
<220>
<221> PEPTIDE
<222> (9)
<223> Xaa at residue 9 is Lys, Namethyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 223
Gly Cys Cys Ser His Xaa Val Cys Xaa Val Arg Xaa Ser Asp Met Cys
<210> 224
<211> 17
<212> PRT
<213> Conus stercusmuscarum
<220>
<221> PEPTIDE
<222> (7)..(14)
<223> Xaa at residues 7 and 14 is Pro or hydroxy Pro;
      Xaa at residue 10 is Lys, N-methyl-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 224
Gly Gly Cys Cys Ser His Xaa Ala Cys Xaa Val His Phe 🔏a His Ser
Cys
<210> 225
```

```
84
<211> 20
<212> PRT
<213> Conus stercusmuscarum
<220>
<221> PEPTIDE
<222> (6)..(14)
<223> Xaa\ at residues 6 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 14 is Glu or gamma-carboxy-Glu.
<400> 225
Val Cys Cys \Ser Asn Xaa Val Cys His Val Asp His Xaa Xaa Leu Cys
                                      10
Arg Arg Arg Arg
<210> 226
<211> 17
<212> PRT
<213> Conus striatus
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6 and 13 is Pro or hydroxy-Pro.
<400> 226
Gly Cys Cys Ser His Xaa Val Cys Asn Leu Ser Asn Xaa Gln Ile Cys
Arg
<210> 227
<211> 18
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (1)..(15)
<223> Xaa at residue 1 is Gln or pyro-Glu; Xaa at
      residues 2 and 15 is Glu or gamma-carboxy-Glu; Xaa
      at residues 7 and 14 is Pro or hydroxy-Pro.
<400> 227
Xaa Xaa Cys Cys Ser His Xaa Ala Cys Asn\Val Asp His Xaa Xaa Ile
Cys Arg
<210> 228
<211> 17
<212> PRT
<213> Conus tulipa
<220>
<221> PEPTIDE
<222> (6)
```

.

```
85
<223> Xaa'
           At residue 6 is Pro or hydroxy-Pro.
<400> 228
Gly Cys Cys Ser Asn Xaa Ala Cys Leu Val Asn His Ile Arg Phe Cys
Gly
<210> 229
<211> 17
<212> PRT
<213> Conus virgo
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues & and 13 is Pro or hydroxy-Pro.
<400> 229
Asp Cys Cys Asp Asp Xaa Ala Cys Thr Val Asn Asn Xaa Gly Leu Cys
Thr
<210> 230
<211> 20
<212> PRT
<213> Conus textile
<220>
<221> PEPTIDE
<222> (6)..(13)
<223> Xaa at residues 6, 7 and 13 is Pro or hydroxy-Pro;
      Xaa at residue 11 is Lys, N-methy\[-Lys,
      N, N-dimethyl-Lys or N, N, N-trimethyl-Lys.
<400> 230
Gly Cys Cys Ser Asn Xaa Xaa Cys Ile Ala Xaa Asn Xaa His Met Cys
                                        10
Gly Gly Arg Arg
<210> 231
<211> 18
<212> PRT
<213> Conus geographus
<220>
<221> PEPTIDE
<222> (5)..(9)
<223> Xaa at residue 5 is Pro or hydroxy-Pro; Xaa a
      residue 8 is Tyr, nor-Tyr, mono-halo-Tyr,
      di-halo-Tyr, O-sulpho-Tyr, O-phospho-Tyr or
nitro-Tyr; Xaa at residue 9 is Glu or
      gamma-carboxy-Glu.
<220>
<221> PEPTIDE
```

```
86
<222> (10)..(1/4)
<223> Xaa at residues 10, 11, 12 and 14 is Lys, N-methyl-Lys, N,N-dimethyl-Lys or
       N, N, N-trimethyl-Lys.
<400> 231
Cys Cys Thr Ile Xaa Ser Cys Xaa Xaa Xaa Xaa Xaa Ile Xaa Ala Cys
                                            10
Val Phe
<210> 232
<211> 18
<212> PRT
<213> Conus regius
<220>
<221> PEPTIDE
<222> (6)..(16)
<223> Xaa at residues 6 and 16 is Pro or hydroxy-Pro;
      Xaa at residue 13 is Lys, N-methyl-Lys, N,N-dimethyl-Lys or N,N-trimethyl-Lys.
<400> 232
Gly Cys Cys Gly Asn Xaa Ala Cxs Ser Gly Ser Ser Xaa Asp Ala Xaa
                                            10
Ser Cys
<210> 233
<211> 108
<212> DNA
<213> Conus imperialis
<220>
<221> CDS
<222> (1)..(105)
<400> 233
tct gat gga aag agt gcc gcg gcc aaa gcc aaa ccg tct cac ctg acg
Ser Asp Gly Lys Ser Ala Ala Ala Lys Ala Lys Pro Ser His Leu Thr
                                            10
get eea tte ate agg gae gaa tge tgt tee gat t{f d}t ege tgt gge aag
Ala Pro Phe Ile Arg Asp Glu Cys Cys Ser Asp Set Arg Cys Gly Lys
aac tgt ctt tga
                                                                              108
Asn Cys Leu
          35
<210> 234
<211> 35
<212> PRT
<213> Conus imperialis
<400> 234
Ser Asp Gly Lys Ser Ala Ala Ala Lys Ala Lys Pro Ser His Leu Thr
```

```
87
Ala Pro Phe Ile Arg Asp Glu Cys Cys Ser Asp Ser Arg Cys Gly Lys
                                  25
             20
Asn Cys Leu
<210> 235
<211> 108
<212> DNA
<213> Conus imperialis
<220>
<221> CDS
<222> (1)..(105)
<400> 235
ttt gat gga agg aat gcc cca gcc gac gac aaa gcg tct gac ctg atc
Phe Asp Gly Arg Asn Ala Pro Ala Asp Asp Lys Ala Ser Asp Leu Ile
gct caa atc gtc agg aga gca tgt tgt tcc gat cgt cgc tgt aga tgg
Ala Gln Ile Val Arg Arg Ala Cys Cys Ser Asp Arg Arg Cys Arg Trp
                                                                    108
agg tgt ggt tga
Arg Cys Gly
<210> 236
<211> 35
<212> PRT
<213> Conus imperialis
<400> 236
Phe Asp Gly Arg Asn Ala Pro Ala Asp Asp Lys Ala Ser Asp Leu Ile
Ala Gln Ile Val Arg Arg Ala Cys Cys Ser\Asp Arg Arg Cys Arg Trp
Arg Cys Gly
         35
<210> 237
<211> 145
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(105)
<400> 237
tot gat gga agg aat gcc gca gcc gac gcc aga gcg 	auct ccc cgg atc
Ser Asp Gly Arg Asn Ala Ala Ala Asp Ala Arg Ala Ser Pro Arg Ile
get ett tte etc agg tte aca tge tgt agg aga ggt ace tgt tec cag
Ala Leu Phe Leu Arg Phe Thr Cys Cys Arg Arg Gly Thr 🖎 Ser Gln
```

	\setminus		88	
cac tgt ggt His Cys Gly 35	,	gctgctccag g	accctctga accacgac	gt 145
<210> 238 <211> 35 <212> PRT <213> Conus	regius			
<400> 238 Ser Asp Gly 1	Arg Asn Ala 5	Ala Ala Asp	Ala Arg Ala Ser Pi 10	co Arg Ile 15
Ala Leu Phe	Leu Arg Phe 20	Thr Cys Cys 25	Arg Arg Gly Thr Cy	vs Ser Gln 30
His Cys Gly 35				
<210> 239 <211> 145 <212> DNA <213> Conus	regius			
<220> <221> CDS <222> (1)	(105)	<i>\\</i>		
<400> 239 tct aat gga	agg aat gcc	gca gcc gac	gc aaa gcg tct ca	a cgg atc 48
Ser Asn Gly 1	Arg Asn Ala 5	Ala Ala Asp	Alla Lys Ala Ser Gl	n Arg Ile 15
gct cca ttc Ala Pro Phe	ctc agg gac Leu Arg Asp 20	tat tgc tgt Tyr Cys Cys 25	agg aga cat gcc tg Arg Arg His Ala Cy	t acg ttg 96 s Thr Leu 0
att tgt ggt Ile Cys Gly 35		gctgctccag ga	accetetga	t 145
<210> 240 <211> 35 <212> PRT <213> Conus	regius			e,
<400> 240 Ser Asn Gly 1	Arg Asn Ala 5	Ala Ala Asp	Ala Lys Ala Ser Gl	n Arg Ile 15 .
Ala Pro Phe	Leu Arg Asp 20	Tyr Cys Cys 25	Arg Arg His Ala Cy	s Thr Leu
Ile Cys Gly 35			ļ	
<210> 241 <211> 145 <212> DNA	regius			
<213> Conus	169143			//

```
<22\> CDS
<2223
       (1)..(105)
<400> 241
tct aat \quad qga agg aat gcc gca gcc gac gcc aaa gcg tct caa cgg atc
                                                                              48
Ser Asn Gy Arg Asn Ala Ala Ala Asp Ala Lys Ala Ser Gln Arg Ile
                                            10
gct cca ttc ctc agg gac tat tgc tgt agg aga cct ccc tgt acg ttg Ala Pro Phe Deu Arg Asp Tyr Cys Cys Arg Arg Pro Pro Cys Thr Leu
                                                                              96
                                                                              145
att tgt ggt tgaagcet getgeteeag gaccetetga accaegaegt
Ile Cys Gly
<210> 242
<211> 35
<212> PRT
<213> Conus regius
<400> 242
Ser Asn Gly Arg Asn Ala 🗛 Ala Ala Asp Ala Lys Ala Ser Gln Arg Ile
                                           10
Ala Pro Phe Leu Arg Asp Tyx Cys Cys Arg Arg Pro Pro Cys Thr Leu
Ile Cys Gly
<210> 243
<211> 136
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(96)
<400> 243
tot aat aaa agg aag aat goo goa atg ott gac atg atc got caa cac
                                                                             48
Ser Asn Lys Arg Lys Asn Ala Ala Met Leu Asp Met Ile Ala Gln His
gcc ata agg ggt tgc tgt tcc gat cct cgc tgt aga tat aga tgt cgt Ala Ile Arg Gly Cys Cys Ser Asp Pro Arg Cys Arg Tyr Arg Cys Arg
               20
                                                                             136
tgaagacgct gctgctccag gaccctctga accacgacgt
<210> 244
<211> 32
<212> PRT
<213> Conus regius
<400> 244
Ser Asn Lys Arg Lys Asn Ala Ala Met Leu Asp Met Ile Ala Gl\hbar His
```


Ala Ile Arg GAy Cys Cys Ser Asp Pro Arg Cys Arg Tyr Arg Cys Arg 25 30 <210> 245 <211> 145 <212> DNA <213> Conus regius <220> <221> CDS <222> (1)..(105) <400> 245 ttt aat gga agg agt gcc $\$ gca gcc gac caa aat gcg cct ggc ctg atc Phe Asn Gly Arg Ser Ala $\$ Ala Ala Asp Gln Asn Ala Pro Gly Leu Ile 10 get caa gte gte aga gga ggg tge tgt tee gat eee ege tge gee tgg Ala Gln Val Val Arg Gly Gly Cys Cys Ser Asp Pro Arg Cys Ala Trp aga tgt ggt tgaagacgtt gctgctccag gaccctctga accacgacgt 145 Arg Cys Gly 35 <210> 246 <211> 35 <212> PRT <213> Conus regius <400> 246 Phe Asn Gly Arg Ser Ala Ala Ala Asp Ĝin Asn Ala Pro Gly Leu Ile Ala Gln Val Val Arg Gly Gly Cys Cys Ser Asp Pro Arg Cys Ala Trp Arg Cys Gly <210> 247 <211> 145 <212> DNA <213> Conus regius <220> <221> CDS <222> (1)..(105) <400> 247 ttt gat gga agg aat gcc gca gcc gac gcc aaa gtg att aac acg gtc Phe Asp Gly Arg Asn Ala Ala Ala Asp Ala Lys Val Ile Asn Thr Val 48 10 gct cga atc gcc tgg gat ata tgc tgt tcc gaa cct gac tgt aac cat Ala Arg Ile Ala Trp Asp Ile Cys Cys Ser Glu Pro Asp Cys Asn His 96 20 30 145 aaa tgt gtt tgaagacgct tctgctccag gaccctctga accacgacgt Lys Cys Val

```
91
<21\0> 248
<211> 35
<212× PRT
<213> Conus regius
<400> 248
Phe Asp Aly Arg Asn Ala Ala Ala Asp Ala Lys Val Ile Asn Thr Val
Ala Arg Ile\Ala Trp Asp Ile Cys Cys Ser Glu Pro Asp Cys Asn His
Lys Cys Val
<210> 249
<211> 136
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(96)
<400> 249
tet aat aaa agg aag aat oc gea atg ett gae atg ate get eaa eae
Ser Asn Lys Arg Lys Asn Ala Ala Met Leu Asp Met Ile Ala Gln His
                                      10
qcc ata agg ggt tgc tgt tcc gat cct cgc tgt aaa cat cag tgt ggt
                                                                    96
Ala Ile Arg Gly Cys Cys Ser Asp Pro Arg Cys Lys His Gln Cys Gly
tgaagacgct gctgctccag gaccctctga\accacgacgt
                                                                    136
<210> 250
<211> 32
<212> PRT
<213> Conus regius
<400> 250
Ser Asn Lys Arg Lys Asn Ala Ala Met Leu Asp Met Ile Ala Gln His
Ala Ile Arg Gly Cys Cys Ser Asp Pro Arg Cys Lys His Gln Cys Gly
<210> 251
<211> 136
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(105)
<400> 251
ate aag aat aca gea gee age aae aaa geg tet age etg gtg \delta ett
Ile Lys Asn Thr Ala Ala Ser Asn Lys Ala Ser Ser Leu Val Ala Leu
```

92 gtt gtc agg g $\dot{\mathbf{q}}$ a tgc tgt tac aat cct gtc tgc aag aaa tat tat tgt m val m Val m Arg m GlV Cys Cys Tyr Asn Pro m Val Cys m Lys m Lys m Tyr m Cys25 136 tgq aaa ggc tgatactcca ggaccctctg aaccacgacg t Trp Lys Gly <210> 252 <211> 35 <212> PRT <213> Conus musicus <400> 252 Ile Lys Asn Thr Ala Ala Ser Asn Lys Ala Ser Ser Leu Val Ala Leu 10 Val Val Arg Gly Cys Cys 🕻 yr Asn Pro Val Cys Lys Lys Tyr Tyr Cys Trp Lys Gly <210> 253 <211> 148 <212> DNA <213> Conus purpurascens <220> <221> CDS <222> (1)..(117) <400> 253 tet gaa gge agg aat get gaa gee ate gae aac gee tta gae eag agg Ser Glu Gly Arg Asn Ala Glu Ala Ile Asp Asn Ala Leu Asp Gln Arg gat cca aag cga cag gag ccg ggg tgc tgt agg cat cct gcc tgt ggg Asp Pro Lys Arg Gln Glu Pro Gly Cys Cys Arg His Pro Ala Cys Gly 96 aag aac aga tgt gga aga cgc tgatgctcca ggaccctctg aaccacgacg t 148 Lys Asn Arg Cys Gly Arg Arg <210> 254 <211> 39 <212> PRT <213> Conus purpurascens <400> 254 Ser Glu Gly Arg Asn Ala Glu Ala Ile Asp Asn Ala Let Asp Gln Arg Asp Pro Lys Arg Gln Glu Pro Gly Cys Cys Arg His Pro Ala Cys Gly Lys Asn Arg Cys Gly Arg Arg

```
93
<210> 255
<211> 156
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(102)
<400> 255
tot gat ggc agg aat att gca gtc gac gac aga tgg tot tto tat acg
                                                                         48
Ser Asp Gly Arg Asn Ile Ala Val Asp Asp Arg Trp Ser Phe Tyr Thr
ctc ttc cat gct act tgc tgt gcc gat cct gac tgt aga ttc cgg ccc
Leu Phe His Ala Thr Cys Cys Ala Asp Pro Asp Cys Arg Phe Arg Pro
                                                                         96
              20
ggt tgt tgatctttgt tcttcaaaga cgctgctggc ccaggaccct ctgaaccacg
                                                                         152
Gly Cys
acgt
                                                                         156
<210> 256
<211> 34
<212> PRT
<213> Conus musicus
<400> 256
Ser Asp Gly Arg Asn Ile Ala Val Asp Asp Arg Trp Ser Phe Tyr Thr
                                        10
  1
Leu Phe His Ala Thr Cys Cys Ala Asp Pro Asp Cys Arg Phe Arg Pro
                                    25
Gly Cys
<210> 257
<211> 142
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(102)
<400> 257
atc aag aat act gca gcc agc aac aaa gcg cct agc ctg gtg gct att
                                                                        48
Ile Lys Asn Thr Ala Ala Ser Asn Lys Ala Pro\Ser Leu Val Ala Ile
                                        10
gcc gtc agg gga tgc tgt tac aat cct tcc tgt tgg ccg aaa aca tat
                                                                        96
Ala Val Arg Gly Cys Cys Tyr Asn Pro Ser Cys Tra Pro Lys Thr Tyr
                                                                        142
tgt agt tggaaagget gatgeteeag gaccetetga accaegaagt
Cys Ser
<210> 258
<211> 34
```

```
94
<212> PRT
<213> Conus musicus
<400> 258
Ile Lys Asn thr Ala Ala Ser Asn Lys Ala Pro Ser Leu Val Ala Ile
Ala Val Arg Glỳ Cys Cys Tyr Asn Pro Ser Cys Trp Pro Lys Thr Tyr
Cys Ser
<210> 259
<211> 161
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(108)
<400> 259
tct gat agc agg aat gtc gca atc gag gac aga gtg tct gac ctg cac
                                                                    48
Ser Asp Ser Arg Asn Val Ala Ile Glu Asp Arg Val Ser Asp Leu His
tot atq tto tto gat gtt tot t'go tgt ago aat cot acc tgt aaa gaa
                                                                    96
Ser Met Phe Phe Asp Val Ser Cỳs Cys Ser Asn Pro Thr Cys Lys Glu
acg tat ggt tgt tgatcgttgg ttttgaagac gctgatgctc caggaccctc
                                                                    148
Thr Tyr Gly Cys
tgaaccacga cgt
                                                                    161
<210> 260
<211> 36
<212> PRT
<213> Conus musicus
<400> 260
Ser Asp Ser Arg Asn Val Ala Ile Glu Asp Arg\ Val Ser Asp Leu His
                                      10
Ser Met Phe Phe Asp Val Ser Cys Cys Ser Asn Pto Thr Cys Lys Glu
                                                      30
Thr Tyr Gly Cys
         35
<210> 261
<211> 156
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(102)
```





```
Ser Met Phe Phe Asp Ile Ala Cys Cys Asn Asn Pro Thr Cys Lys Glu
                                  25
Thr Tyr Gly Cys
         35
<210> 265
<211> 161
<212> DNA
<213> Conus musicus
<220>
<221> CDS
<222> (1)..(108)
<400> 265
tct gat ggc agg aat gtc gca atc gag gac aga gtg tct gac ctg ctc
                                                                    48
Ser Asp Gly Arg Asn Val Ala Ile Glu Asp Arg Val Ser Asp Leu Leu
                                      10
tet atg etc tte gat gtt get tge tgt age aat eet gte tgt aaa gaa
                                                                    96
Ser Met Leu Phe Asp Val Ala Cys Cys Ser Asn Pro Val Cys Lys Glu
acg tat ggt tgt tgatcgttgg ttttgaagac gctgatgctc caggaccctc
                                                                    148
Thr Tyr Gly Cys
tgaaccacga cgt
                                                                    161
<210> 266
<211> 36
<212> PRT
<213> Conus musicus
<400> 266
Ser Asp Gly Arg Asn Val Ala Ile Glu Asp Arg Val Ser Asp Leu Leu
Ser Met Leu Phe Asp Val Ala Cys Cys Ser Asn Pro Val Cys Lys Glu
Thr Tyr Gly Cys
         35
<210> 267
<211> 154
<212> DNA
<213> Conus betulinus
<220>
<221> CDS
<222> (1)..(123)
<400> 267
tat gat ggc agg aat gct gcc gcc gac gac aaa gct ttt gac ctg ctg
Tyr Asp Gly Arg Asn Ala Ala Ala Asp Asp Lys Ala Phe Asp Leu Leu
gct atg acc ata agg gga gga tgc tgt tcc tat cct ccc tgt atc gcg
```

Ala Met Thr Ile Arg Gly Gly Cys Cys Ser Tyr Pro Pro Cys Ile Ala

	20		25	30	
agt aat cct Ser Asn Pro 35		Gly Gly Ar		tgatgctcca ggaccctctg	143
aaccacaacg	t				154
<210> 268 <211> 41 <212> PRT <213> Conus	betulin	us			
<400> 268 Tyr Asp Gly	Arg Asn 5	Ala Ala Al	.a Asp i	Asp Lys Ala Phe Asp Leu Leu 10 15	
Ala Met Thr	Ile Arg 20	Gly Gly Cy	rs Cys S 25	Ser Tyr Pro Pro Cys Ile Ala 30	
Ser Asn Pro 35	Lys Cys		g Arg O		
<210> 269 <211> 151 <212> DNA <213> Conus	lividus				
<220> <221> CDS <222> (1)	(111)			•	
				gcc aaa atg tcc gcc ctg atg Ala Lys Met Ser Ala Leu Met 10 15	48
				cat cct gtc tgt agc gcg atg His Pro Val Cys Ser Ala Met 30	96
agt cca atc Ser Pro Ile 35			gatgco	cccag gaccctctga accacgacgt :	151
<210> 270 <211> 37 <212> PRT <213> Conus	lividus				
<400> 270 Phe Asp Gly 1	Arg Asn 5	Ala Ala Gl	y Asn A	Ala Lys Met Ser Ala Leu Met 10 15	
Ala Leu Thr	Ile Arg 20	Gly Cys Cy	s Ser 1 25	His Pro Val Cys Ser Ala Met 30	
Ser Pro Ile 35	Cys Gly				

<210> 271 <211> 196 <212> DNA <213> Conus musicus
<220> <221> CDS <222> (1)(165)
<400> 271 atc aag aat gct gca gct gac gac aaa gca tct gac ctg ctc tct cag Ile Lys Asn Ala Ala Ala Asp Asp Lys Ala Ser Asp Leu Leu Ser Gln 1 5 10 15
atc gtc agg aat gct gca tcc aat gac aaa ggg tct gac ctg atg act 11e Val Arg Asn Ala Ala Ser Asn Asp Lys Gly Ser Asp Leu Met Thr 20 25 30
ctt gcc ctc agg gga tgc tgt aaa aat cct tac tgt ggt gcg tcg aaa Leu Ala Leu Arg Gly Cys Cys Lys Asn Pro Tyr Cys Gly Ala Ser Lys 35 40 45
aca tat tgt ggt aga aga cgc tgatgctcca ggaccctctg aaccacgacg t 19 Thr Tyr Cys Gly Arg Arg Arg 50 55
<210> 272 <211> 55 <212> PRT <213> Conus musicus
<400> 272 Ile Lys Asn Ala Ala Ala Asp Asp Lys Ala Ser Asp Leu Leu Ser Gln 1 5 10 15
Ile Val Arg Asn Ala Ala Ser Asn Asp Lys Gly Ser Asp Leu Met Thr 20 25 30
Leu Ala Leu Arg Gly Cys Cys Lys Asn Pro Tyr Cys Gly Ala Ser Lys 35 40 45
Thr Tyr Cys Gly Arg Arg 50 55
<210> 273 <211> 139 <212> DNA <213> Conus omaria
<220> <221> CDS <222> (40)(108)
<pre><400> 273 tctgatggca ggaatgccgc agcgtctgac ctgatggat ctg acc atc aag gga</pre>
tgc tgt tct tat cct ccc tgt ttc gcg act aat cca gac tgt ggt cga 10 Cys Cys Ser Tyr Pro Pro Cys Phe Ala Thr Asn Pro Asp Cys Gly Arg 10 15 20

cga cgc tgatgctcca ggaccctctg aaccacgacg t Arg Arg						
<210> 274 <211> 23 <212> PRT <213> Conus omaria						
<400> 274 Leu Thr Ile Lys Gly Cys Cys Ser Tyr Pro Pro Cys Phe Ala Thr Asn 1 5 10 15						
Pro Asp Cys Gly Arg Arg 20						
<210> 275 <211> 126 <212> DNA <213> Conus radiatus						
<220> <221> CDS <222> (1)(123)						
<400> 275 ttt gat ggc agg aat gcc gca gcc gac tac aaa ggg tct gaa ttg ctc Phe Asp Gly Arg Asn Ala Ala Ala Asp Tyr Lys Gly Ser Glu Leu Leu 1 5 10 15	48					
gct atg acc gtc agg gga gga tgc tgt tcc tat cct ccc tgt atc gca Ala Met Thr Val Arg Gly Gly Cys Cys Ser Tyr Pro Pro Cys Ile Ala 20 25 30	96					
aat aat cct ctt tgt gct gga aga cgc tga Asn Asn Pro Leu Cys Ala Gly Arg Arg 35 40	126					
<210> 276 <211> 41 <212> PRT <213> Conus radiatus						
<400> 276 Phe Asp Gly Arg Asn Ala Ala Ala Asp Tyr Lys Gly Ser Glu Leu Leu 1 5 10 15						
Ala Met Thr Val Arg Gly Gly Cys Cys Ser Tyr Pro Pro Cys Ile Ala 20 25 30						
Asn Asn Pro Leu Cys Ala Gly Arg Arg 35 40						
<210> 277 <211> 126 <212> DNA <213> Conus radiatus						
<220> <221> CDS <222> (1)(123)						

		tac aaa ggg tct gaa t Tyr Lys Gly Ser Glu 1	
		tcc tat cct ccc tgt a Ser Tyr Pro Pro Cys 3 30	
aat aat cct ttt tgt Asn Asn Pro Phe Cys 35		tga	126
<210> 278 · <211> 41 <212> PRT <213> Conus radiatus	s		·
<400> 278 Phe Asp Gly Arg Asn 1 5	Ala Ala Ala Asp	Tyr Lys Gly Ser Glu 1	Leu Leu 15
Ala Met Thr Val Arg	Gly Gly Cys Cys 25	Ser Tyr Pro Pro Cys 30	Ile Ala
Asn Asn Pro Phe Cys 35	Ala Gly Arg Arg 40		
<210> 279 <211> 155 <212> DNA <213> Conus virgo			
<220> <221> CDS <222> (1)(114)			
		gac aga gcg tct gcc o Asp Arg Ala Ser Ala 1	
		tcc aat cct ccc tgt : Ser Asn Pro Pro Cys : 30	
aat aat cca gac tgt Asn Asn Pro Asp Cys 35		gettgeteca ggaeeetetg	144
aaccacgacg t			155
<210> 280 <211> 38 <212> PRT <213> Conus virgo			·
<400> 280 Ser Tyr Asp Arg Tyr 1 5		Asp Arg Ala Ser Ala :	Leu Ile 15




Ala Gln Ala Ile Leu Arg Asp Cys Cys Ser Asn Pro Pro Cys Ser Gln 20 Asn Asn Pro Asp Cys Met 35 <210> 281 <211> 155 <212> DNA <213> Conus virgo <220> <221> CDS <222> (1)..(114) <400> 281 48 tet tat gge agg tat gee tea eee gte gae aga geg tet gee etg ate Ser Tyr Gly Arg Tyr Ala Ser Pro Val Asp Arg Ala Ser Ala Leu Ile gct cag gcc atc ctt cga gat tgc tgc tcc aat cct cct tgt gcc cat 96 Ala Gln Ala Ile Leu Arg Asp Cys Cys Ser Asn Pro Pro Cys Ala His aat aat cca gac tgt cgt taaagacgct gcttgctcca ggaccctctg 144 Asn Asn Pro Asp Cys Arg 155 aaccacgacg t <210> 282 <211> 38 <212> PRT <213> Conus virgo <400> 282 Ser Tyr Gly Arg Tyr Ala Ser Pro Val Asp Arg Ala Ser Ala Leu Ile Ala Gln Ala Ile Leu Arg Asp Cys Cys Ser Asn Pro Pro Cys Ala His Asn Asn Pro Asp Cys Arg 35 <210> 283 <211> 126 <212> DNA <213> Conus achatinus <220> <221> CDS <222> (1)..(123) <400> 283 tct gat ggc agg aat gcc gca gcc aac gac aaa gcg tct ggc atg agc Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Gly Met Ser gcg ctg gcc gtc aat gaa tgc tgt acc aac cct gtc tgt cac gcg gaa

Ala Leu Ala Val Asn Glu Cys Cys Thr Asn Pro Val Cys His Ala Glu

20 25 30 126 cat caa gaa ctt tgt gct aga aga cgc tga His Gln Glu Leu Cys Ala Arg Arg Arg 35 <210> 284 <211> 41 <212> PRT <213> Conus achatinus <400> 284 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Gly Met Ser Ala Leu Ala Val Asn Glu Cys Cys Thr Asn Pro Val Cys His Ala Glu His Gln Glu Leu Cys Ala Arg Arg Arg <210> 285 <211> 126 <212> DNA <213> Conus achatinus <220> <221> CDS <222> (1)..(123) <400> 285 tet gat gge agg aat gee gea gee aac gae aaa geg tet gae gtg ate 48 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Asp Val Ile acg ctg gcc ctc aag gga tgc tgt tcc aac cct gtc tgt cac ttg gag 96 Thr Leu Ala Leu Lys Gly Cys Cys Ser Asn Pro Val Cys His Leu Glu 126 cat tca aac ctt tgt ggt aga aga cgc tga His Ser Asn Leu Cys Gly Arg Arg Arg 35 <210> 286 <211> 41 <212> PRT <213> Conus achatinus <400> 286 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Asp Val Ile Thr Leu Ala Leu Lys Gly Cys Cys Ser Asn Pro Val Cys His Leu Glu His Ser Asn Leu Cys Gly Arg Arg Arg

<210> 287 <211> 126




<210> 290 <211> 60 <212> PRT <213> Conus am	niralis						
<400> 290 Met Phe Thr Va 1	l Phe Leu 5	Leu Val	Val Leu 10		Thr Val	. Val S	Ser
Phe Thr Ser As		Phe Arg	Gly Arg 25	Asn Ala	Ala Ala		Ala '
Ser Gly Leu Va 35	l Gly Leu	Thr Asp		Gln Glu	Cys Cys 45	s Ser 1	Tyr
Pro Ala Cys As 50	n Leu Asp	His Pro 55	Glu Leu	Cys Gly 60			
<210> 291 <211> 223 <212> DNA <213> Conus am	niralis						
<220> <221> CDS <222> (1)(19	2)						
<400> 291 atg ttc acc gt Met Phe Thr Va 1				Ala Thr			
tcc act tca gg Ser Thr Ser Gl 2	y Arg Arg	-				a Āla I	
gcg tct gga ct Ala Ser Gly Le 35			Asp Arg				
gat cct cgc tg Asp Pro Arg Cy 50					Gly Gly		
tgatgctcca gga	ccctctg a	accacgac	g t				223
<210> 292 <211> 64 <212> PRT <213> Conus am	niralis						
<400> 292 Met Phe Thr Va 1	l Phe Leu 5	Leu Val	Val Leu 10		Thr Val	l Val S 15	Ser
Ser Thr Ser Gl 2		Ala Phe	Arg Gly 25	Arg Asn	Ala Ala 30		Ys
Ala Ser Gly Le 35	ı Val Gly	Leu Thr		Arg Pro	Glu Cys 45	S Cys S	Ser



Asp Pro Arg Cys Asn Ser Thr His Pro Glu Leu Cys Gly Gly Arg Arg 50 60					
<210> 293 <211> 151 <212> DNA <213> Conuș arenatus					
<220> <221> CDS <222> (1)(120)					
<400> 293 tct gat ggc agg aat gcc gca gcc aac gcg ttt gac ctg atc gat ctg Ser Asp Gly Arg Asn Ala Ala Ala Asn Ala Phe Asp Leu Ile Asp Leu 1 5 10 15	48				
acc gcc agg cta aat tgc tgt atg att ccc ccc tgt tgg aag aaa tat Thr Ala Arg Leu Asn Cys Cys Met Ile Pro Pro Cys Trp Lys Lys Tyr 20 25 30	96				
gga gac aga tgt agt gaa gta cgc tgatgctcca ggaccctctg aaccacgacg Gly Asp Arg Cys Ser Glu Val Arg 35 40	150				
t	151				
<210> 294 <211> 40 <212> PRT <213> Conus arenatus					
<400> 294 Ser Asp Gly Arg Asn Ala Ala Ala Asn Ala Phe Asp Leu Ile Asp Leu 1 5 10 15					
Thr Ala Arg Leu Asn Cys Cys Met Ile Pro Pro Cys Trp Lys Lys Tyr 20 25 30					
Gly Asp Arg Cys Ser Glu Val Arg 35 40					
<210> 295 <211> 126 <212> DNA <213> Conus arenatus					
<220> <221> CDS <222> (1)(93)	•				
<400> 295 tct gat ggc agg aat gcc gca cgc aaa gcg ttt ggc tgc tgc gac tta Ser Asp Gly Arg Asn Ala Ala Arg Lys Ala Phe Gly Cys Cys Asp Leu 1 5 10 15	48				
ata ccc tgt ttg gag aga tat ggt aac aga tgt aat gaa gtg cac Ile Pro Cys Leu Glu Arg Tyr Gly Asn Arg Cys Asn Glu Val His 20 25 30	93				
tgatgctcca ggaccctctg aaccacgcga cgt					

```
<210> 296
<211> 31
<212> PRT
<213> Conus arenatus
<400> 296
Ser Asp Gly Arg Asn Ala Ala Arg Lys Ala Phe Gly Cys Cys Asp Leu
Ile Pro Cys Leu Glu Arg Tyr Gly Asn Arg Cys Asn Glu Val His
<210> 297
<211> 151
<212> DNA
<213> Conus arenatus
<220>
<221> CDS
<222> (1)..(120)
<400> 297
tct gat ggc agc aat gcc gca gcc aac gag ttt gac ctg atc gct ctg
                                                                   48
Ser Asp Gly Ser Asn Ala Ala Ala Asn Glu Phe Asp Leu Ile Ala Leu
acc gcc agg cta ggt tgc tgt aac gtt aca ccc tgt tgg gag aaa tat
                                                                    96
Thr Ala Arg Leu Gly Cys Cys Asn Val Thr Pro Cys Trp Glu Lys Tyr
gga gac aaa tgt aat gaa gta cgc tgatgcttca ggaccctctg aaccacgacg
Gly Asp Lys Cys Asn Glu Val Arg
                                                                   151
t
<210> 298
<211> 40
<212> PRT
<213> Conus arenatus
<400> 298
Ser Asp Gly Ser Asn Ala Ala Ala Asn Glu Phe Asp Leu Ile Ala Leu
Thr Ala Arg Leu Gly Cys Cys Asn Val Thr Pro Cys Trp Glu Lys Tyr
Gly Asp Lys Cys Asn Glu Val Arg
<210> 299
<211> 148
<212> DNA
<213> Conus arenatus
<220>
<221> CDS
<222> (1)..(117)
```



Thr Ala Arg Leu Asn Cys Cys Ser Ile Pro Gly Cys Trp Asn Glu Tyr 20 25 30	
Lys Asp Arg Cys Ser Lys Val Arg 35 40	
<210> 303 <211> 157 <212> DNA <213> Conus aurisiacus	
<220> <221> CDS <222> (52)(126)	
<400> 303 tctgatggca ggaatgccgc agccgacgac aaagcgtctg acctggtcgc t ctg gtc Leu Val 1	57
gtc agg gga gga tgc tgt tcc cac cct gtc tgt tac ttt aat aat cca Val Arg Gly Gly Cys Cys Ser His Pro Val Cys Tyr Phe Asn Asn Pro 5 10 15	105
caa atg tgt cgt gga aga cgc tgatgctcca ggaccctctg aaccacgacg t Gln Met Cys Arg Gly Arg Arg 20 25	157
<210> 304 <211> 25 <212> PRT <213> Conus aurisiacus	
<400> 304 Leu Val Val Arg Gly Gly Cys Cys Ser His Pro Val Cys Tyr Phe Asn 1 5 10 15	
Asn Pro Gln Met Cys Arg Gly Arg Arg 20 25	
<210> 305 <211> 157 <212> DNA <213> Conus aurisiacus	
<220> <221> CDS <222> (52)(126)	
<400> 305 tctgatggca ggaatgccgc agccgacgac aaagcgtctg acctggtcgc t ctg gcc Leu Ala 1	57
gtc agg gga gga tgc tgt tcc cac cct gtc tgt aac ttg aat aat cca Val Arg Gly Gly Cys Cys Ser His Pro Val Cys Asn Leu Asn Asn Pro 5 10 15	105
caa atg tgt cgt gga aga cgc tgatgctcca ggaccctctg aaccacgacg t Gln Met Cys Arg Gly Arg Arg 20 25	157


<221> CDS

<222> (1)..(120)

```
<210> 306
<211> 25
<212> PRT
<213> Conus aurisiacus
<400> 306
Leu Ala Val Arg Gly Gly Cys Cys Ser His Pro Val Cys Asn Leu Asn
Asn Pro Gln Met Cys Arg Gly Arg Arg
             20
<210> 307
<211> 157
<212> DNA
<213> Conus betulinus
<220>
<221> CDS
<222> (1)..(117)
<400> 307
ttt cgt ggc agg aat ccc gca gcc aac gac aaa agg tct gac ctg gcc
Phe Arg Gly Arg Asn Pro Ala Ala Asn Asp Lys Arg Ser Asp Leu Ala
get etg age gte agg gga gga tge tgt tee eat eet gee tgt age gtg
Ala Leu Ser Val Arg Gly Gly Cys Cys Ser His Pro Ala Cys Ser Val
act cat cca gag ctt tgt ggc tgaagacgct gatgccccag gaccctctga
                                                                   147
Thr His Pro Glu Leu Cys Gly
                                                                   157
accacgacgt
<210> 308
<211> 39
<212> PRT
<213> Conus betulinus
<400> 308
Phe Arg Gly Arg Asn Pro Ala Ala Asn Asp Lys Arg Ser Asp Leu Ala
Ala Leu Ser Val Arg Gly Gly Cys Cys Ser His Pro Ala Cys Ser Val
Thr His Pro Glu Leu Cys Gly
         35
<210> 309
<211> 151
<212> DNA
<213> Conus betulinus
<220>
```



tct gat ggc														
Ser Asp Gly														48
acc atc agg Thr Ile Arg														96
caa gac ctt Gln Asp Leu 35						tgat	gcto	cca (ggaco	ectet	g aa	accad	cgacg	150
t														151
<210> 310 <211> 40 <212> PRT <213> Conus	betu	ılinu	ıs											
<400> 310 Ser Asp Gly 1	Gly	Asn 5	Ala	Ala	Ala	Lys	Ala 10	Ser	Asp	Leu	Ile	Ala 15	Gln	
Thr Ile Arg	Gly 20	Gly	Cys	Cys	Ser	Tyr 25	Pro	Ala	Cys	Ser	Val 30	Glu	His	
Gln Asp Leu 35	Cys	Asp	Gly	Arg	Arg 40									
<210> 311 <211> 114 <212> DNA <213> Conus	cara	ıcteı	risti	cus										
<220>														
<221> CDS <222> (1)	(111)													
<221> CDS	agg	aat												48
<221> CDS <222> (1) <400> 311 tct tat ggc Ser Tyr Gly	agg Arg	aat Asn 5 tgt	Ala	Ala	Ala	Lys tat	Ala 10 caa	Phe gag	Glu gaa	Val tgt	Ser	Cys 15 gaa	Cys	48
<221> CDS <222> (1) <400> 311 tct tat ggc Ser Tyr Gly 1 gtc gtt cgc	agg Arg ccc Pro 20	aat Asn 5 tgt Cys	Ala tgg Trp	Ala	Ala	Lys tat Tyr	Ala 10 caa	Phe gag	Glu gaa	Val tgt	Ser ctt Leu	Cys 15 gaa	Cys	
<221> CDS <222> (1) <400> 311 tct tat ggc Ser Tyr Gly 1 gtc gtt cgc Val Val Arg gat ccc agg Asp Pro Arg	agg Arg ccc Pro 20 acc Thr	aat Asn 5 tgt Cys ctc Leu	Ala tgg Trp tga	Ala att Ile	Ala	Lys tat Tyr	Ala 10 caa	Phe gag	Glu gaa	Val tgt	Ser ctt Leu	Cys 15 gaa	Cys	96



Val Val Arg Pro Cys Trp Ile Arg Tyr Gln Glu Glu Cys Leu Glu Ala 25 Asp Pro Arg Thr Leu 35 <210> 313 <211> 123 <212> DNA <213> Conus caracteristicus <220> <221> CDS <222> (1)..(120) <400> 313 tet gat gge agg aat gee gea gee aac gee ett gae etg ate aet etg Ser Asp Gly Arg Asn Ala Ala Ala Asn Ala Leu Asp Leu Ile Thr Leu atc gcc agg caa aat tgc tgt agc att ccc ggc tgt tgg gag aaa tat Ile Ala Arg Gln Asn Cys Cys Ser Ile Pro Gly Cys Trp Glu Lys Tyr 123 gga gac aaa tgt agt gaa gta cgc tga Gly Asp Lys Cys Ser Glu Val Arg <210> 314 <211> 40 <212> PRT <213> Conus caracteristicus Ser Asp Gly Arg Asn Ala Ala Ala Asn Ala Leu Asp Leu Ile Thr Leu 10 Ile Ala Arg Gln Asn Cys Cys Ser Ile Pro Gly Cys Trp Glu Lys Tyr Gly Asp Lys Cys Ser Glu Val Arg <210> 315 <211> 154 <212> DNA <213> Conus catus <220> <221> CDS <222> (1)..(123) <400> 315 tct gat ggc agg aat gaa gcc gac gac gac gac gcg tct gac gtg atc Ser Asp Gly Arg Asn Glu Ala Ala Asn Asp Glu Ala Ser Asp Val Ile gag ctg gcc ctc aag gga tgc tgt tcc aac cct gtc tgt cac ttg gag Glu Leu Ala Leu Lys Gly Cys Cys Ser Asn Pro Val Cys His Leu Glu

25

cat cca aac gct tgt ggt aga aga cgc tgatgctcca ggaccctctg His Pro Asn Ala Cys Gly Arg Arg Arg 35 40	143
aaccacgacg t	154
<210> 316 <211> 41 <212> PRT <213> Conus catus	
<400> 316 Ser Asp Gly Arg Asn Glu Ala Ala Asn Asp Glu Ala Ser Asp Val Ile 1 5 10 15	
Glu Leu Ala Leu Lys Gly Cys Cys Ser Asn Pro Val Cys His Leu Glu 20 25 30	
His Pro Asn Ala Cys Gly Arg Arg Arg 35 40	
<210> 317 <211> 154 <212> DNA <213> Conus catus	
<220> <221> CDS <222> (1)(123)	
<400> 317 tct gat ggc agg aat gcc gca gcc aac gac aaa gcg tct gac ctg gtc Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Asp Leu Val 1 5 10 15	48
gct ctg gcc gtc agg gga tgc tgt tcc aac cct atc tgt tac ttt aat Ala Leu Ala Val Arg Gly Cys Cys Ser Asn Pro Ile Cys Tyr Phe Asn 20 25 30	96
aat cca cga att tgt cgt gga aga cgc tgatgctcca ggaccctctg Asn Pro Arg Ile Cys Arg Gly Arg Arg 35 40	143
aaccacgacg t	154
<210> 318 <211> 41 <212> PRT <213> Conus catus	
<400> 318 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Ala Ser Asp Leu Val 1 5 10 15	
Ala Leu Ala Val Arg Gly Cys Cys Ser Asn Pro Ile Cys Tyr Phe Asn 20 25 30	
Asn Pro Arg Ile Cys Arg Gly Arg Arg	

```
<210> 319
<211> 111
<212> DNA
<213> Conus episcopatus
<220>
<221> CDS
<222> (1)..(108)
<400> 319
tct cat ggc agg aat gcc gca cgc aaa gcg tct gac ctg atc gct ctg
Ser His Gly Arg Asn Ala Ala Arg Lys Ala Ser Asp Leu Ile Ala Leu
                                                          15
                                      10
acc gtc agg gaa tgc tgt tct cag cct ccc tgt cgc tgg aaa cat cca
Thr Val Arg Glu Cys Cys Ser Gln Pro Pro Cys Arg Trp Lys His Pro
             20
                                 25
                                                                    111
gaa ctt tgt agt tga
Glu Leu Cys Ser
         35
<210> 320
<211> 36
<212> PRT
<213> Conus episcopatus
<400> 320
Ser His Gly Arg Asn Ala Ala Arg Lys Ala Ser Asp Leu Ile Ala Leu
Thr Val Arg Glu Cys Cys Ser Gln Pro Pro Cys Arg Trp Lys His Pro
Glu Leu Cys Ser
         35
<210> 321
<211> 151
<212> DNA
<213> Conus geographus
<220>
<221> CDS
<222> (1)..(120)
<400> 321
tet gat gge agg aat gae gea gee aaa geg ttt gae etg ata tet teg
Ser Asp Gly Arg Asn Asp Ala Ala Lys Ala Phe Asp Leu Ile Ser Ser
                                      10
acc gtc aag aaa gga tgc tgt tcc cat cct gcc tgt gcg ggg aat aat
Thr Val Lys Lys Gly Cys Cys Ser His Pro Ala Cys Ala Gly Asn Asn
caa cat att tgt ggc cga aga cgc tgatgctcca ggaccctctg aaccacgacg
Gln His Ile Cys Gly Arg Arg Arg
         35
                                                                    151
t
```



```
<210> 322
<211> 40
<212> PRT
<213> Conus geographus
<400> 322
Ser Asp Gly Arg Asn Asp Ala Ala Lys Ala Phe Asp Leu Ile Ser Ser
Thr Val Lys Lys Gly Cys Cys Ser His Pro Ala Cys Ala Gly Asn Asn
Gln His Ile Cys Gly Arg Arg Arg
         35
<210> 323
<211> 154
<212> DNA
<213> Conus geographus
<220>
<221> CDS
<222> (1)..(123)
<400> 323
tct gat ggc agg aat gcc gca gcc aac gac caa gcg tct gac ctg atg
Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Gln Ala Ser Asp Leu Met
                                      10
get geg ace gte agg gga tge tgt gee gtt eet tee tgt ege ete egt
Ala Ala Thr Val Arg Gly Cys Cys Ala Val Pro Ser Cys Arg Leu Arg
aat cca gac ctt tgt ggt gga gga cgc tgatgctcca ggaccctctg
                                                                    143
Asn Pro Asp Leu Cys Gly Gly Gly Arg
                                                                    154
aaccacgacg t
<210> 324
<211> 41
<212> PRT
<213> Conus geographus
<400> 324
Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Gln Ala Ser Asp Leu Met
Ala Ala Thr Val Arg Gly Cys Cys Ala Val Pro Ser Cys Arg Leu Arg
             20
Asn Pro Asp Leu Cys Gly Gly Arg
<210> 325
<211> 120
<212> DNA
<213> Conus imperialis
<220>
<221> CDS
```




```
115
<222> (1)..(117)
<400> 325
ctt gat gaa agg aat gcc gca gcc gac gac aaa gcg tct gac ctg atc
Leu Asp Glu Arg Asn Ala Ala Ala Asp Asp Lys Ala Ser Asp Leu Ile
gct caa atc gtc agg aga gga tgc tgt tcc cat cct gcc tgt aac gtg
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser His Pro Ala Cys Asn Val
aat aat cca cac att tgt ggt tga
                                                                    120
Asn Asn Pro His Ile Cys Gly
         35
<210> 326
<211> 39
<212> PRT
<213> Conus imperialis
<400> 326
Leu Asp Glu Arg Asn Ala Ala Ala Asp Asp Lys Ala Ser Asp Leu Ile
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser His Pro Ala Cys Asn Val
Asn Asn Pro His Ile Cys Gly
         35
<210> 327
<211> 142
<212> DNA
<213> Conus lividus
<220>
<221> CDS
<222> (1)..(111)
<400> 327
tct gat ggc agg aat act gca gcc aaa gtc aaa tat tct aag acg ccg
Ser Asp Gly Arg Asn Thr Ala Ala Lys Val Lys Tyr Ser Lys Thr Pro
gag gaa tgc tgt ccc aat cct ccc tgt ttc gcg aca aat tcg gat att
Glu Glu Cys Cys Pro Asn Pro Pro Cys Phe Ala Thr Asn Ser Asp Ile
             20
tgt ggc gga aga cgc tgatgctcca ggaccctctg aaccacgacg t
                                                                    142
Cys Gly Gly Arg Arg
         35
<210> 328
<211> 37
<212> PRT
<213> Conus lividus
<400> 328
Ser Asp Gly Arg Asn Thr Ala Ala Lys Val Lys Tyr Ser Lys Thr Pro
```



Glu Glu Cys Cys Pro Asn Pro Pro Cys Phe Ala Thr Asn Ser Asp Ile Cys Gly Gly Arg Arg 35 <210> 329 <211> 157 <212> DNA <213> Conus lividus <220> <221> CDS <222> (1)..(117) <400> 329 48 tot aat ggc agg aat gcc gca gcc aaa ttc aaa gcg cct gcc ctg atg Ser Asn Gly Arg Asn Ala Ala Ala Lys Phe Lys Ala Pro Ala Leu Met aag egg ace gte agg gat get tge tgt tea gae eet ege tgt tee ggg 96 Lys Arg Thr Val Arg Asp Ala Cys Cys Ser Asp Pro Arg Cys Ser Gly aaa cat caa gac ctg tgt ggc tgaagacgct gatgctccag gaccctctga 147 Lys His Gln Asp Leu Cys Gly 157 accacgacgt <210> 330 <211> 39 <212> PRT <213> Conus lividus <400> 330 Ser Asn Gly Arg Asn Ala Ala Ala Lys Phe Lys Ala Pro Ala Leu Met Lys Arg Thr Val Arg Asp Ala Cys Cys Ser Asp Pro Arg Cys Ser Gly Lys His Gln Asp Leu Cys Gly 35 <210> 331 <211> 157 <212> DNA <213> Conus lividus <220> <221> CDS <222> (1)..(117) <400> 331 tet aat gge agg aat gee gea gee aaa tte aaa geg eet gee etg atg Ser Asn Gly Arg Asn Ala Ala Ala Lys Phe Lys Ala Pro Ala Leu Met 10 gag ctg acc gtc agg gaa gat tgc tgt tca gac cct cgc tgt tcc gtg Glu Leu Thr Val Arg Glu Asp Cys Cys Ser Asp Pro Arg Cys Ser Val

	20		25			30		
gga cat caa Gly His Gln 35			tgaagac	gct ga	atgeteca	ag gaccc	tctga	147
accacgacgt								157
<210> 332 <211> 39 <212> PRT <213> Conus	lividus							
<400> 332 Ser Asn Gly	Arg Asn 5	Ala Ala	Ala Lys	Phe 1	Lys Ala	Pro Ala	Leu Met 15	
Glu Leu Thr	Val Arg 20	Glu Asp	Cys Cys 25	Ser i	Asp Pro	Arg Ċys 30	Ser Val	
Gly His Gln 35	Asp Leu	Cys Gly						
<210> 333 <211> 157 <212> DNA <213> Conus	lividus				•			
<220> <221> CDS <222> (1)	(126)							
<400> 333 gca ttt gat Ala Phe Asp 1								48
atg gct ctg Met Ala Leu								96
agt aat gca Ser Asn Ala 35					tgatgcto	cca ggac	cctctg	146
aaccacgacg	t							157
<210> 334 <211> 42 <212> PRT <213> Conus	lividus							
<400> 334 Ala Phe Asp 1	Gly Arg 5	Asn Ala	Ala Ala	Ser 1	Asp Lys	Ala Ser	Glu Leu 15	
Met Ala Leu	Ala Val 20	Arg Gly	Cys Cys 25	Ser	His Pro	Ala Cys 30	Ala Gly	
Ser Asn Ala		Cys Gly	Arg Arg	Arg				



						11	,						
accacgacgt													154
<210> 338 <211> 38 <212> PRT <213> Conus	lividus												
<400> 338 Phe Glu Cys 1 .	Arg Asn 5	Ala	Ala	Gly	Asn	Asp	Lys	Ala	Thr	Asp	Leu 15	Met	
Ala Leu Thr	Val Arg 20	Gly	Cys	Cys	Ser 25	His	Pro	Ala	Cys	Ala 30	Gly	Asn	
Asn Pro His 35	Ile Cys	Gly											
<210> 339 <211> 154 <212> DNA <213> Conus	lividus												
<220> <221> CDS <222> (1)	(114)								·				
<400> 339 ttt gat ggc Phe Asp Gly 1													48
gct ctg act Ala Leu Thr													96
att cct tac Ile Pro Tyr 35	-		taga	igaca	act q	gatgo	eteca	ag ga	accct	ctga	a		144
accacgacgt													154
<210> 340 <211> 38 <212> PRT <213> Conus	lividus												
<400> 340 Phe Asp Gly 1	Arg Asn 5	Ala	Ala	Ala	Asn	Asn 10	Lys	Ala	Thr	Asp	Leu 15	Met	
Ala Leu Thr	Val Arg 20	Gly	Cys	Cys	Gly 25	Asn	Pro	Ser	Cys	Ser 30	Ile	His	
Ile Pro Tyr 35	Val Cys	Asn											
<210> 341 <211> 157 <212> DNA <213> Conus	lividus												

									14	U						
)> l> CI 2> (1		(126)	ı												
tct		ggc						aaa Lys								48
								tgt Cys 25								96
								aga Arg		tgat	gcto	cca q	ggaco	cctct	g	146
aaco	cacga	acg t	=													157
<211 <212)> 34 L> 42 2> PF 3> Co	2 RT	livi	idus												
)> 34 Asn	-	Arg	Asn 5	Ala	Ala	Ala	Lys	Phe 10	Lys	Ala	Pro	Ala	Leu 15	Met	
Lys	Arg	Thr	Asp 20	Ser	Glu	Glu	Cys	Cys 25	Leu	Asp	Ser	Arg	Cys 30	Ala	Gly	
Gln	His	Gln 35	Asp	Leu	Cys	Gly	Gly 40	Arg	Arg							
<211 <212)> 34 L> 12 2> DN 3> Co	26 NA	marn	nore	ıs											
)> L> C[2> (1		(123)	ı												
tct		ggc						aag Lys								48
								tct Ser 25								96
	caa Gln							cgc Arg	tga							126
<212 <212	0> 34 L> 41 2> PE 3> Co	L RT	marn	nore	ıs											



```
<400> 344
```

Ser Asp Gly Arg Asn Ala Ala Ala Lys Asp Lys Ala Ser Asp Leu Val

Ala Leu Thr Val Lys Gly Cys Cys Ser Asn Pro Pro Cys Tyr Ala Asn

Asn Gln Ala Tyr Cys Asn Gly Arg Arg

<210> 345

<211> 117

<212> DNA

<213> Conus marmoreus

<220>

<221> CDS

<222> (1)..(114)

<400> 345

tet gat gge agg aat gee gea gee aag gae aaa geg tet gae etg gte Ser Asp Gly Arg Asn Ala Ala Ala Lys Asp Lys Ala Ser Asp Leu Val

gct ctg acc gtc aag gga tgc tgt tct cat cct gcc tgt agc gtg aat 96 Ala Leu Thr Val Lys Gly Cys Cys Ser His Pro Ala Cys Ser Val Asn

117 aat cca gac att tgt ggt tga Asn Pro Asp Ile Cys Gly 35

<210> 346 <211> 38

<212> PRT

<213> Conus marmoreus

<400> 346

Ser Asp Gly Arg Asn Ala Ala Ala Lys Asp Lys Ala Ser Asp Leu Val

Ala Leu Thr Val Lys Gly Cys Cys Ser His Pro Ala Cys Ser Val Asn 20 30

Asn Pro Asp Ile Cys Gly 35

<210> 347

<211> 145

<212> DNA

<213> Conus musicus

<220>

<221> CDS

<222> (1)..(114)

<400> 347

tet gat gge agg aat get gea gee aac aac aaa gtg get ttg ace atg Ser Asp Gly Arg Asn Ala Ala Ala Asn Asn Lys Val Ala Leu Thr Met 5 10





122	
agg gga aaa tgc tgt atc aat gat gcg tgt cgc tcg aaa cat cca cag Arg Gly Lys Cys Cys Ile Asn Asp Ala Cys Arg Ser Lys His Pro Gln 20 25 30	
tac tgt tct gga aga cgc tgatactcca ggaccctctg aaccacgacg t Tyr Cys Ser Gly Arg Arg 35	145
<210> 348 <211> 38 <212> PRT <213> Conus musicus	
<400> 348 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asn Lys Val Ala Leu Thr Met 1 5 10 15	
Arg Gly Lys Cys Cys Ile Asn Asp Ala Cys Arg Ser Lys His Pro Gln 20 25 30	
Tyr Cys Ser Gly Arg Arg 35	
<210> 349 <211> 154 <212> DNA <213> Conus musicus	
<220> <221> CDS <222> (1)(123)	
<pre><400> 349 tct gat ggc agg aat gct gca gcc aac gac aaa gtg tct gac cag atg Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Val Ser Asp Gln Met 1 5 10 15</pre>	
gct ctg gtt gtc agg gga tgc tgt tac aat att gcc tgt aga att aat Ala Leu Val Val Arg Gly Cys Cys Tyr Asn Ile Ala Cys Arg Ile Asn 20 25 30	
aat cca cgg tac tgt cgt gga aaa cgc tgatgttcca ggaccctctg Asn Pro Arg Tyr Cys Arg Gly Lys Arg 35 40	143
aaccacgacg t	154
<210> 350 <211> 41 <212> PRT <213> Conus musicus	
<400> 350 Ser Asp Gly Arg Asn Ala Ala Ala Asn Asp Lys Val Ser Asp Gln Met 1 5 10 15	
Ala Leu Val Val Arg Gly Cys Cys Tyr Asn Ile Ala Cys Arg Ile Asn 20 25 30	
Asn Pro Arg Tyr Cys Arg Gly Lys Arg 35 40	

```
123
<210>
       351
<211> 154
<212> DNA
<213> Conus obscurus
<220>
<221> CDS
<222> (52).\((123)
<400> 351
tetgaaggea goldsymbol{d}aatgeege ageeaaegae aaagegtetg aeetgatgge t etg aae
                                                                      Leu Asn
gtc agg gga tg\dot{d} tgt tcc cat cct gtc tgt cgc ttc aat tat cca aaa Val Arg Gly Cys Cys Ser His Pro Val Cys Arg Phe Asn Tyr Pro Lys
                                   10
tat tgt ggt gga a\ga cgc tgatggtcca ggaccctctg aaccacgacg t
Tyr Cys Gly Gly Ang Arg
      20
<210> 352
<211> 24
<212> PRT
<213> Conus obscurus
<400> 352
Leu Asn Val Arg Gly Cys C\chis Ser His Pro Val Cys Arg Phe Asn Tyr
Pro Lys Tyr Cys Gly Gly Arg
<210> 353
<211> 151
<212> DNA
<213> Conus obscurus
<220>
<221> CDS
<222> (46)..(111)
<400> 353
totgatggcg ggaatgccgc agcaaaagcg tttgat\Deltataa tcact ctg gcc ctc agg 57
                                                             Leu Ala Leu Arg
gat gaa tgc tgt gcc agt cct ccc tgt cgt ttg aat aat cca tac gta Asp Glu Cys Cys Ala Ser Pro Pro Cys Arg Leu Asn Asn Pro Tyr Val
                         10
                                                  15
                                                                                 151
tgt cat tgacgacgct gatgctccag gaccctctga accacgacgt
Cys His
<210> 354
<211> 22
<212> PRT
<213> Conus obscurus
```

```
124
<400> 354
Leu Ala Leu Arg Asp Glu Cys Cys Ala Ser Pro Pro Cys Arg Leu Asn
Asn Pro Tyr Val Cys His
<210> 355
<211> 217
<212> DNA
<213> Conus obscurus
<220>
<221> CDS
<222> (1)..(186)
<400> 355
atg ttc acc gtg ttt clackg ttg gtt gtc ttg gca acc acc gtc gtt tcc
                                                                   48
Met Phe Thr Val Phe Lev Leu Val Val Leu Ala Thr Thr Val Val Ser
                                      10
ccc act toa gat cgt gca tct gat agg agg aat gcc gca gcc aaa gcg
                                                                   96
Pro Thr Ser Asp Arg Ala Ser Asp Arg Asn Ala Ala Ala Lys Ala
                                 25
ttt gac ctg aga tat tcg acc\gcc aag aga gga tgc tgt tcc aat cct
                                                                   144
Phe Asp Leu Arg Tyr Ser Thr Ala Lys Arg Gly Cys Cys Ser Asn Pro
gtc tgt tgg cag aat aat gca ga\ tac tgt cgt gaa agt ggc
                                                                   186
Val Cys Trp Gln Asn Asn Ala Glu Tyr Cys Arg Glu Ser Gly
                         55
                                              60
                                                                   217
taatgctcca ggaccctctg aaccacgacg
<210> 356
<211> 62
<212> PRT
<213> Conus obscurus
<400> 356
Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser
Pro Thr Ser Asp Arg Ala Ser Asp Arg Arg Ala Ala Ala Lys Ala
Phe Asp Leu Arg Tyr Ser Thr Ala Lys Arg Gly Cys Cys Ser Asn Pro
Val Cys Trp Gln Asn Asn Ala Glu Tyr Cys Arg Glu Ser Gly
                         55
<210> 357
<211> 208
<212> DNA
<213> Conus obscurus
<220>
<221> CDS
<222> (1)..(168)
```


<400> 35	
atg ttc acc gtg ttt ctg ttg gtt gtc ttg gca acc acc gtc gtt tcc Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser 1 10 15	48
ttc act tca gat ggt gca tct gat ggc ggg aat gtc gca gcg tct cac Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly Asn Val Ala Ala Ser His 25 30	96
ctg atc gct ctg acc atc aag gga tgc tgt tct cac cct ccc tgt gcc Leu Ile Ala Leu Thr Ile Lys Gly Cys Cys Ser His Pro Pro Cys Ala 35 40 . 45	144
cag aat aat caa gac tat tgt ggt tgacgacgct gatgctccag gaccctctga Gln Asn Asn Gln Asp Tyr Cys Gly 50 55	198
accacgacgt	208
<210> 358 <211> 56 <212> PRT <213> Conus obscurus	
<pre><400> 358 Met Phe Thr Val Phe Leu Leu Val Val Leu Ala Thr Thr Val Val Ser</pre>	
Phe Thr Ser Asp Arg Ala Ser Asp Gly Gly Asn Val Ala Ala Ser His 20 30	
Leu Ile Ala Leu Thr Ile Lys Gly Cys Cys Ser His Pro Pro Cys Ala 35 40	
Gln Asn Asn Gln Asp Tyr Cys Gly 50 55	
<210> 359 <211> 217 <212> DNA <213> Conus obscurus	
<220> <221> CDS <222> (1)(186)	
<pre><400> 359 atg ttc acc gtg ttt ctg ttg gtt gtc tta tca Met Phe Thr Val Phe Leu Leu Val Val Leu Ser Thr Thr Val Val Ser 1</pre>	48
tcc act tca gat cgt gca tct gat agg agg aat goc gca gcc aaa gcg Ser Thr Ser Asp Arg Ala Ser Asp Arg Arg Asn Ala Ala Ala Lys Ala 20 25 30	96
tct gac ctg atg tat tcg acc gtc aag aaa gga tgt tgt tcc cat cct Ser Asp Leu Met Tyr Ser Thr Val Lys Lys Gly Cys Cys Ser His Pro 35 40 45	144
gcc tgt tcg ggg aat aat cga gaa tat tgt cgt gaa agt ggc Ala Cys Ser Gly Asn Asn Arg Glu Tyr Cys Arg Glu Ser Gly 50 55 60	186

taatgeteea ggaceetetg aaccaegaeg t 217 <210> 360 <211> 62 <212> PRT <213> Conus obscurus <400> 360 Met Phe Thr Val $\$ Phe Leu Leu Val Val Leu Ser Thr Thr Val Val Ser Ser Thr Ser Asp Ala Ser Asp Arg Arg Asn Ala Ala Lys Ala Ser Asp Leu Met Tyx Ser Thr Val Lys Lys Gly Cys Cys Ser His Pro Ala Cys Ser Gly Ash Asn Arg Glu Tyr Cys Arg Glu Ser Gly <210> 361 <211> 157 <212> DNA <213> Conus omaria <220> <221> CDS <222> (52)..(126) <400> 361 tttgatggca ggaatgcctc agccgacage alagtggctg cccggatcgc t cag atc Gln Ile gac agg gat cca tgc tgt tcc tat cct gac tgt ggc gcg aat cat cca Asp Arg Asp Pro Cys Cys Ser Tyr Pro Asp Cys Gly Ala Asn His Pro 10 gag att tgt ggt gga aaa cgc tgatgctcca gg&cctctg aaccacgacg t 157 Glu Ile Cys Gly Gly Lys Arg <210> 362 <211> 25 <212> PRT <213> Conus omaria <400> 362 Gln Ile Asp Arg Asp Pro Cys Cys Ser Tyr Pro Asp Cys Çly Ala Asn His Pro Glu Ile Cys Gly Gly Lys Arg <210> 363 <211> 128 <212> DNA <213> Conus omaria <220>

```
127
<221> CDS
<222> (26)...(88)
<400> 363
                                                                    52
totoatggca ggaatgoogo acgot otg aco gto agg gaa tgo tgt tot cag
                            Leu Thr Val Arg Glu Cys Cys Ser Gln
                                                                    98
cct cct tgt cgc tgg aaa cat cca gaa ctt tgt agt tgaagacgct
Pro Pro Cys Arg Trp Lys His Pro Glu Leu Cys Ser
                     15
                                                                    128
gatgetecag gaccetetga accaegaegt
<210> 364
<211> 21
<212> PRT
<213> Conus omaria
<400> 364
Leu Thr Val Arg Glu Cys Cys Ser Gln Pro Pro Cys Arg Trp Lys His
Pro Glu Leu Cys Ser
             20
<210> 365
<211> 154
<212> DNA
<213> Conus omaria
<220>
<221> CDS
<222> (52)..(123)
<400> 365
tttgatggca ggaatgctgc agccagcgac aaagcgtctg\agctgatggc t ctg gcc
                                                          Leu Ala
                                                                    105
gtc agg gga tgc tgt tcc cat cct gcc tgt gct ggg\aat aat cca cat
Val Arg Gly Cys Cys Ser His Pro Ala Cys Ala Gly Asn Asn Pro His
                              10
                                                                    154
atc tgt ggc aga aga cgc tgatgctcca ggaccctctg aaccacgacg t
Ile Cys Gly Arg Arg Arg
     20
<210> 366
<211> 24
<212> PRT
<213> Conus omaria
<400> 366
Leu Ala Val Arg Gly Cys Cys Ser His Pro Ala Cys Ala Gly Asn Asn
                                      10
Pro His Ile Cys Gly Arg Arg Arg
```

```
128
<210> 367
<211> 142
<212> DNA
<213> Comus omaria
<220>
<221> CDS
<222> (40)\.(102)
<400> 367
tetggtgtea ggaaagaege agegeetgge etgateget etg ace ate aag gga
                                               Leu Thr Ile Lys Gly
                                                 1
tgc tgt tct gat cct agc tgt aac gtg aat aat cca gac tat tgt ggt
Cys Cys Ser Aap Pro Ser Cys Asn Val Asn Asn Pro Asp Tyr Cys Gly
                                         15
                  10
                                                                         142
tgacgacgct gatgotccag gaccctctga accacgacgt
<210> 368
<211> 21
<212> PRT
<213> Conus omaria
<400> 368
Leu Thr Ile Lys Gly Cys Cys Ser Asp Pro Ser Cys Asn Val Asn Asn
                                         10
Pro Asp Tyr Cys Gly
              20
<210> 369
<211> 157
<212> DNA
<213> Conus omaria
<220>
<221> CDS
<222> (52)..(117)
<400> 369
tctaatggca ggaatgccgc agccaaattc\aaagcgcctg ccctgatgga g ctg acc
                                                               Leu Thr
gtc agg gaa gaa tgc tgt tca gac cct cgc tgt tcc gtg gga cat caa Val Arg Glu Glu Cys Cys Ser Asp Pro Arg Cys Ser Val Gly His Gln
                                                                         105
                                10
                                                                         157
gat atg tgt cgg tgaagcacgt gatgctccag\gaccctctga accacgacgt
Asp Met Cys Arg
     20
<210> 370
<211> 22
<212> PRT
<213> Conus omaria
<400> 370
Leu Thr Val Arg Glu Glu Cys Cys Ser Asp Pro\Arg Cys Ser Val Gly
```

			129		
1	5		10	15	
His Gln Asp	Met Cys Arg 20				
<210> 371 <211> 151 <212> DNA <213> Conus	purpurascer	s			
<220> <221> CDS <222> (1)	(120)				
				gac ctg atc gct Asp Leu Ile Ala 15	
gcc gtc agg Ala Val Arg	gga gga tgo Gly Gly Cys 20	tgt tcc Cys Ser	aat cct gcc t Asn Pro Ala (tgt tta gtg aat Cys Leu Val Asn 30	cat 96 His
	tgt ggt aaa Cys Gly Lys		tgatgcccca go	gaccetetg aaccac	gacg 150
t					151
<210> 372 <211> 40 <212> PRT <213> Conus	purpurascen	s			
<400> 372 Thr Asp Gly	Arg Asn Ala	Ala Ala	Ile Ala Leu A	Asp Leu Ile Ala 15	Pro
Ala Val Arg	Gly Gly Cys	Cys Ser	Asn Pro Ala (Cys Leu Val Asn 30	His
Leu Glu Met 35	Cys Gly Lys	Arg Arg 40			
<210> 373 <211> 160 <212> DNA <213> Conus	purpurascen	s			
<220> <221> CDS <222> (1)	(120)		\		
<400> 373 tct gat ggc Ser Asp Gly 1	agg gat gcc Arg Asp Ala 5	gca gcc Ala Ala	aac gac aaa g Asn Asp Lys A 10	gcg tct gac ctg Ala Ser Asp Leu 15	atc 48 Ile
gct ctg acc Ala Leu Thr	gcc agg aga Ala Arg Arg 20	gat cca Asp Pro	tgc tgt ttc a Cys Cys Phe A 25	aat cet gee tgt Asn Pro Ala Cys 30	aac 96 Asn



accacgacgt	160

<210> 374

<211> 40

<212> PRT

<213> Conus purpurascens

<400> 374

Ser Asp Gly Arg Asp Ala Ala Ala Asn Asp Lys Ala Ser Asp Leu Ile

Ala Leu Thr Ala Arg Arg Asp Pro Cys Cys Phe Asn Pro Ala Cys Asn

Val Asn Asn Pro Gln Ile Cys Gly 35

Val Asn Asn Pro Gln Ile Cys Gly

<210> 375

<211> 151

<212> DNA

<213> Conus purpurascens

<220>

<221> CDS

<222> (1)..(120)

<400> 375

tct gat ggc agg gat gct gag aaa aca ggc ttt gac acg acc att gtg Ser Asp Gly Arg Asp Ala Glu Lys Thr Gly Phe Asp Thr Thr Ile Val

ccg gaa gac tgc tgt tcg gat cct tcc tgt tgg agg ctg cat agt tta Pro Glu Asp Cys Cys Ser Asp Pro Ser Cys Trp Arg Leu His Ser Leu

gct tgt act gga att gta aac cgc tgatgctcca ggaccctctg aaccacgacg Ala Cys Thr Gly Ile Val Asn Arg 35 40

151

<210> 376

<211> 40

<212> PRT

<213> Conus purpurascens

<400> 376

Ser Asp Gly Arg Asp Ala Glu Lys Thr Gly Phe Asp Thr Thr Ile Val

Pro Glu Asp Cys Cys Ser Asp Pro Ser Cys Trp Arg Leu His Ser Leu

Ala Cys Thr Gly Ile Val Asn Arg

131	
<210> 377 <211> 142 <212> DNA <213> Conus purpurascens	
<220> <221> CDS <222> (1)(111)	
<pre><400> 377 act gat ggc agg agt gct gca gcc ata gcg ttt gcc ctg atc gct ccg Thr Asp Gly Arg Ser Ala Ala Ala Ile Ala Phe Ala Leu Ile Ala Pro 1</pre>	48
acc gtc tgc tgt act aat cct gcc tgt ctc gtg aat aat ata cgc ttt Thr Val Cys Cys Thr Asn Pro Ala Cys Leu Val Asn Asn Ile Arg Phe 20 25 30	96
tgt ggt gga aga cgc tgatgcccca ggaccctctg aaccacgacg t Cys Gly Gly Arg Arg 35	142
<210> 378 <211> 37 <212> PRT <213> Conus purpurascens	
<400> 378 Thr Asp Gly Arg Ser Ala Ala Ala Ile Ala Phe Ala Leu Ile Ala Pro 1 5 10 15	
Thr Val Cys Cys Thr Asn Pro Ala Cys Leu Val Asn Asn Ile Arg Phe 20 25 30	
Cys Gly Gly Arg Arg	
<210> 379 <211> 157 <212> DNA <213> Conus regius	
<220> <221> CDS <222> (1)(117)	
<pre><400> 379 tct gat gga aga aat gcc gca agc gac gcc aaa gcg ttt ccc cgg atc Ser Asp Gly Arg Asn Ala Ala Ser Asp Ala Lys Ala Phe Pro Arg Ile 1 5 10 15</pre>	48
gct cca atc gtc agg gac gaa tgc tgt agc gat cct agg tgt cac ggg Ala Pro Ile Val Arg Asp Glu Cys Cys Ser Asp Pro Arg Cys His Gly 20 25 30	96
aat aat cgg gac cac tgt gct tgaagacgct gctgdtccag gaccctctga Asn Asn Arg Asp His Cys Ala 35	147
accacgacgt	157



```
<210> 380
<211> 39
<212> PRT
<213> Conus regius
<400> 380
Ser Asp Gly Arg Asn Ala Ala Ser Asp Ala Lys Ala Phe Pro Arg Ile
Ala Pro Ile Val Arg Asp Gl\u03c4 Cys Cys Ser Asp Pro Arg Cys His Gly
Asn Asn Arg Asp His Cys Ala
<210> 381
<211> 156
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(117)
<400> 381
tet gat gge agg aat ace geg gee \( \)gae gaa aaa geg tee gae etg ate
Ser Asp Gly Arg Asn Thr Ala Ala Asp Glu Lys Ala Ser Asp Leu Ile
                                         10
tct caa act gtc aag aga gat tgc tgt tcc cat cct ctc tgt aga tta
Ser Gln Thr Val Lys Arg Asp Cys Cys Ser His Pro Leu Cys Arg Leu
                                                                          96
ttt gtt cca gga ctt tgt att tgaagacgct gctgctccag gaccctctga
                                                                         147
Phe Val Pro Gly Leu Cys Ile
                                                                          156
accacgact
<210> 382
<211> 39
<212> PRT
<213> Conus regius
<400> 382
Ser Asp Gly Arg Asn Thr Ala Ala Asp Glu L\gammas Ala Ser Asp Leu Ile
Ser Gln Thr Val Lys Arg Asp Cys Cys Ser Hi& Pro Leu Cys Arg Leu
Phe Val Pro Gly Leu Cys Ile
        35
<210> 383
<211> 157
<212> DNA
<213> Conus regius
<220>
<221> CDS
```

<212> PRT

<213> Conus regius



```
<222> (1)..(117)
<400> 383
tot gat ggc agg aat gcc gca gcc gac aac aaa gcg tot gac ota atc
Ser Asp Gly Arg Asn Ala Ala Ala Asp Asn Lys Ala Ser Asp Leu Ile
                                      10
gct caa atc gtc agg aga gga tgc tgt tcc cat cct gtc tgt aaa gtg
                                                                    96
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser Ḥis Pro Val Cys Lys Val
agg tat cca gac ctg tgt cgt tgaagacget getgetecag gaccetetga
                                                                    147
Arg Tyr Pro Asp Leu Cys Arg
accacgacgt
                                                                    157
<210> 384
<211> 39
<212> PRT
<213> Conus regius
<400> 384
Ser Asp Gly Arg Asn Ala Ala Ala Asp Asn Lys Ala Ser Asp Leu Ile
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser His Pro Val Cys Lys Val
             20
Arg Tyr Pro Asp Leu Cys Arg
<210> 385
<211> 157
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(117)
<400> 385
tot gat ggc agg aat gcc gca gcc gac aac aga gcg tot gac ota atc
                                                                    48
Ser Asp Gly Arg Asn Ala Ala Ala Asp Asn Arg Ala Ser Asp Leu Ile
                                                                    96
gct caa atc gtc agg aga gga tgc tgt tcc cat cct gcc tgt aat gtg
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser His Pro Ala Cys Asn Val
                                                                    147
aat aat cca cac att tgt ggt tgaagacgct gctgctccag gaccctctga
Asn Asn Pro His Ile Cys Gly
         35
                                                                    157
accacgacgt
<210> 386
<211> 39
```



```
134
<400> 386
Ser Asp Gly Arg Asn Ala Ala Ala Asp Asn Arg Ala Ser Asp Leu Ile
Ala Gln Ile Val Arg Arg Gly Cys Cys Ser His Pro Ala Cys Asn Val
             20
Asn Asn Pro His Ile√Cys Gly
         35
<210> 387
<211> 157
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(117)
<400> 387
tet gat gge agg aat gee gta gee gae aae aaa eeg tet gae eta ate
                                                                    48
Ser Asp Gly Arg Asn Ala Ala Asp Asn Lys Pro Ser Asp Leu Ile
                                      10
gct caa atc gtc agg aga gga tgc tgt tcg cat cct gtc tgt aaa gtg
                                                                    96
Ala Gln Ile Val Arg Arg Gly dys Cys Ser His Pro Val Cys Lys Val
agg tat toa gac atg tgt ggt tgaagacgot gotgotocag gaccototga
                                                                    147
Arg Tyr Ser Asp Met Cys Gly
                                                                    157
accacgacgt
<210> 388
<211> 39
<212> PRT
<213> Conus regius
<400> 388
Ser Asp Gly Arg Asn Ala Ala Ala Asp Asn Lys Pro Ser Asp Leu Ile
Ala Gln Ile Val Arg Arg Gly Cys Cys Set His Pro Val Cys Lys Val
                                  25
                                                       30
             20
Arg Tyr Ser Asp Met Cys Gly
         35
<210> 389
<211> 154
<212> DNA
<213> Conus stercusmuscarum
<220>
<221> CDS
<222> (1)..(114)
<400> 389
tot gat ggc agg aat gca gag cga cga caa agc g\mathfrak{q}c tgt cct ggt cgc
Ser Asp Gly Arg Asn Ala Glu Arg Arg Gln Ser Vall Cys Pro Gly Arg
```



10 15 tct ggc ccc agg gga gga tgt tgt tcc cac cct gcc tgt aag gtg cat Ser Gly Pro Arg Gly Gly Cys Cys Ser His Pro Ala Cys Lys Val His 96 Phe Pro His Ser ovs Gly 144 154 accacgacgt <210> 390 <211> 38 <212> PRT <213> Conus stercusmuscarum <400> 390 Ser Asp Gly Arg Asn Ala Glu Arg Arg Gln Ser Val Cys Pro Gly Arg Ser Gly Pro Arg Gly Gly Cys Cys Ser His Pro Ala Cys Lys Val His Phe Pro His Ser Cys Gly 35 <210> 391 <211> 145 <212> DNA <213> Conus stercusmuscarum <220> <221> CDS <222> (1)..(114) <400> 391 tet gat gge agg aat gee gea/gee age gae aga geg tet gae geg gee 48 Ser Asp Gly Arg Asn Ala Ala Ala Ser Asp Arg Ala Ser Asp Ala Ala 10 cac cag gta tgc tgt tcc aac c \mathfrak{d} t gtc \mathfrak{d} tgt cac gtg gat cat cca gaa 96 His Gln Val Cys Cys Ser Asn Pro Val Cys His Val Asp His Pro Glu 145 ctt tgt cgt aga aga cgc tgatgctcka gkaccctctg aaccacgacg t Leu Cys Arg Arg Arg Arg <210> 392 <211> 38 <212> PRT

<212> PRT <213> Conus stercusmuscarum

<400> 392
Ser Asp Gly Arg Asn Ala Ala Ala Ser Asp Arg Ala Ser Asp Ala Ala
1 5 10 15

His Gln Val Cys Cys Ser Asn Pro Val Cys His Val Asp His Pro Glu
20 25 30



cat cca gaa att tgt cgt tga



Λ							13	6						•
Leu Cys Arg	Arg	Arg	Arg											
<210> 393 <211> 154 <212> DNA <213> Conus	str	\ atus	5											
<220> <221> CDS <222> (1)	(123)												•	
<400> 393 tct gat ggc Ser Asp Gly 1	agg Arg	aat Asn 5	gcc Ala	gcg Ala	gcc Ala	aac Asn	gac Asp 10	aaa Lys	gcg Ala	tct Ser	gac Asp	ctg Leu 15	gtc Val	48
gct ccg gcc Ala Pro Ala														96
aat cca caa Asn Pro Gln 35							tgat	gcto	cca (ggaco	cctct	g		143
aaccacgacg	t			,										154
<210> 394 <211> 41 <212> PRT <213> Conus	str	iatus				\				-				
<400> 394 Ser Asp Gly	Arg	Asn 5	Ala	Ala	Ala	Asn	Asp	Lys	Ala	Ser	Asp	Leu 15	Val	
Ala Pro Ala	Ile 20	Arg	Gly	Cys	Cys	Ser 25	H	Pro	Val	Cys	Asn 30	Leu	Ser	
Asn Pro Gln 35		Cys	Arg	Gly	Arg 40	Arg								
<210> 395 <211> 117 <212> DNA <213> Conus	tex	tile						`		\		•		
<220> <221> CDS <222> (1)	(114))												
<400> 395 ttt cat ggc Phe His Gly 1														48
acc gac aag Thr Asp Lys														96





```
His Pro Glt Ile Cys Arg
35

<210> 396
<211> 38
<212> PRT
<213> Conus textile
<400> 396
Phe His Gly Arg Asn Ala A
```

Phe His Gly Arg Asn Ala Ala Ala Lys Ala Ser Gly Leu Val Gly Leu 1 15

Thr Asp Lys Arg Glh Glu Cys Cys Ser His Pro Ala Cys Asn Val Asp
20 25 30

His Pro Glu Ile Cys Arg

```
<210> 397
<211> 151
<212> DNA
<213> Conus tulipa
<220>
```

<221> CDS <222> (1)..(120)

<400> 397
act gat ggc agg agt gct gca gcc ata gcg ttt gcc ctg atc gct ccg 48
Thr Asp Gly Arg Ser Ala Ala Ala Ile Ala Phe Ala Leu Ile Ala Pro
1 5 10 15

acc gtc tgg gaa gga tgc tgt tct aat cct gcc tgt ctc gtg aat cat 96
Thr Val Trp Glu Gly Cys Cys Ser Asn Pro Ala Cys Leu Val Asn His
20 30

ata cgc ttt tgt ggt gga aga cgc t gatgcccca ggaccctctg aaccacgacg 150
Ile Arg Phe Cys Gly Gly Arg Arg
40

t 151

```
<210> 398
<211> 40
<212> PRT
<213> Conus tulipa
```

<400> 398
Thr Asp Gly Arg Ser Ala Ala Ala Ile Ala Phe Ala Leu Ile Ala Pro
1 5 10 15

Thr Val Trp Glu Gly Cys Cys Ser Asn Pro Hla Cys Leu Val Asn His 20 25 30

Ile Arg Phe Cys Gly Gly Arg Arg 35 40

<210> 399 <211> 157 <212> DNA





				138		3	
<213> Conus	virgo						
<220> <221> CDS <222> (1)	(117)						
<400> 399 tct'aat ggc Ser Asn Gly 1	atg aat Met Asn 5	gcc gca Ala Ala	gcc atc Ala Ile	agg aaa Arg Lys 10	gcg tct Ala Ser	gcc ctg Ala Leu 15	gtg 48 Val
gct cag atc Ala Gln Ile							
aat aat cca Asn Asn Pro 35			tgaagat	gct gctgo	cccag ga	accetetga	a 147
accacgacgt							157
<210> 400 <211> 39 <212> PRT <213> Conus	virgo						
<400> 400 Ser Asn Gly 1	Met Asn 5	Ala Ala	Ala Ile	Arg Lys	Ala Ser	Ala Leu 15	Val
Ala Gln Ile	Ala His 20	Arg Asp	Cys Cys	Asp Asp	Pro Ala	Cys Thr 30	Val
Asn Asn Pro 35	Gly Leu	Cys Thr					-
<210> 401 <211> 154 <212> DNA <213> Conus	geograph	nus	\				
<220> <221> CDS <222> (1)	(114)						
<400> 401 tct gat ggc Ser Asp Gly 1	ggg aat Gly Asn 5	gcc gca Ala Ala	gca aaa Ala Lys	gag tct Glu Ser 10	gac gtg Asp Val	atc gct Ile Ala 15	ctg 48 Leu
acc gtc tgg Thr Val Trp							
att aaa gca Ile Lys Ala 35			cgacgct	gatgetee	ag gacco	ctga	144
accacgacgt							154

<210> 402





```
<211> 38
<212> PR
<213> Codús geographus
<400> 402
Ser Asp Gly Gly Asn Ala Ala Ala Lys Glu Ser Asp Val Ile Ala Leu
Thr Val Trp Lys Cys Cys Thr Ile Pro Ser Cys Tyr Glu Lys Lys
Ile Lys Ala Cys Val Phe
          35
<210> 403
<211> 154
<212> DNA
<213> Conus regius
<220>
<221> CDS
<222> (1)..(114)
<400> 403
tet gat gge gea gte gae g
ae aaa geg ttg gat ega ate get gaa ate
                                                                        48
Ser Asp Gly Ala Val Asp Asp Lys Ala Leu Asp Arg Ile Ala Glu Ile
                                        10
gtc agg aga gga tgc tgt ggd aat cct gcc tgt agc ggc tcc tcg aaa Val Arg Arg Gly Cys Cys Gly Asn Pro Ala Cys Ser Gly Ser Ser Lys
                                    25
gat gca ccc tct tgt ggt tgaagacgct gctgctccag gaccctctga
                                                                        144
Asp Ala Pro Ser Cys Gly
                                                                        154
accacgacgt
<210> 404
<211> 38
<212> PRT
<213> Conus regius
<400> 404
Ser Asp Gly Ala Val Asp Asp Lys Ala Leu Asp Arg Ile Ala Glu Ile
Val Arg Arg Gly Cys Cys Gly Asn Pro Ala Cys Ser Gly Ser Ser Lys
Asp Ala Pro Ser Cys Gly
```